



US00D616161S

(12) **United States Design Patent**
Tridello et al.

(10) **Patent No.:** **US D616,161 S**
(45) **Date of Patent:** **** May 18, 2010**

(54) **DRAWER ASSEMBLY FOR AN APPLIANCE**

DESCRIPTION

(75) Inventors: **Cris Tridello**, Forlì (IT); **Alessandro Turra**, Ravenna (IT)

(73) Assignee: **Electrolux Home Products Corporation, N.V.**, Zaventem (BE)

(**) Term: **14 Years**

(21) Appl. No.: **29/309,973**

(22) Filed: **Nov. 24, 2008**

(30) **Foreign Application Priority Data**

May 28, 2008 (EM) 000941851

(51) **LOC (9) Cl.** **15-05**

(52) **U.S. Cl.** **D32/3**

(58) **Field of Classification Search** D32/1,
D32/5-6, 8, 10, 25, 28, 29.1, 2-3; 68/3 R,
68/17 R, 207; 134/57 D, 93

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,826,933 B2 * 12/2004 Merkle et al. 68/17 R
7,047,987 B2 * 5/2006 Cerruti et al. 134/58 D
7,428,831 B2 * 9/2008 Cho et al. 68/17 R
D582,106 S * 12/2008 Kim et al. D32/6
7,481,082 B2 * 1/2009 Cho et al. 68/17 R
D589,215 S * 3/2009 Cho et al. D32/6
7,543,465 B2 * 6/2009 Kwon et al. 68/17 R

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Kathleen M Sims

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack,
L.L.P.

(57) **CLAIM**

The ornamental design for a drawer assembly for an appliance, as shown and described.

FIG. 1 is a front view of a first embodiment of the design;

FIG. 2 is a perspective view of a first embodiment of the design in a closed position;

FIG. 3 is a perspective view of a first embodiment of the design in an open position;

FIG. 4 is a front view of a second embodiment of the design;

FIG. 5 is a perspective view of a second embodiment of the design in a closed position;

FIG. 6 is a perspective view of a second embodiment of the design in an open position;

FIG. 7 is a front view of a third embodiment of the design;

FIG. 8 is a perspective view of a third embodiment of the design in a closed position;

FIG. 9 is a perspective view of a third embodiment of the design in an open position;

FIG. 10 is a front view of a fourth embodiment of the design;

FIG. 11 is a perspective view of a fourth embodiment of the design in a closed position;

FIG. 12 is a perspective view of a fourth embodiment of the design in an open position;

FIG. 13 is a front view of a fifth embodiment of the design;

FIG. 14 is a perspective view of a fifth embodiment of the design in a closed position;

FIG. 15 is a perspective view of a fifth embodiment of the design in an open position;


FIG. 16 is a front view of a sixth embodiment of the design;

FIG. 17 is a perspective view of a sixth embodiment of the design in a closed position; and,

FIG. 18 is a perspective view of a sixth embodiment of the design in an open position.

The broken lines showing an appliance and control panel details in FIGS. 1-18 are included for the purpose of showing environmental portions of the drawer assembly for an appliance and form no part of the claimed design.

1 Claim, 18 Drawing Sheets



US D616,161 S

U.S. PATENT DOCUMENTS				2003/0188768	A1 *	10/2003	Cerruti et al.	134/57 D
7,555,923	B2 *	7/2009	Kim et al.	68/17 R	2004/0069325	A1 *	4/2004	Cerruti et al. 134/25.2
2003/0145633	A1 *	8/2003	Merkle et al.	68/17 R	2004/0093913	A1 *	5/2004	Bolduan et al. 68/17 R
2003/0172690	A1 *	9/2003	Kim et al.	68/17 R	* cited by examiner			




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18