



US00D616443S

(12) **United States Design Patent**
Chatterjee et al.

(10) **Patent No.:** **US D616,443 S**

(45) **Date of Patent:** **** May 25, 2010**

(54) **COMPUTER INPUT DEVICE**

(75) Inventors: **Monique Chatterjee**, Seattle, WA (US);
Jonah Becker, San Francisco, CA (US);
Claude Zellweger, San Francisco, CA
(US); **Audrey Louchart**, San Francisco,
CA (US)

(73) Assignee: **Microsoft Corporation**, Redmond, WA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/281,732**

(22) Filed: **Jun. 29, 2007**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/402**

(58) **Field of Classification Search** D14/402–410,
D14/356, 388, 389, 383–385, 417, 426, 218;
345/156–167; 463/36–38; 358/471, 473
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D336,900	S	*	6/1993	Pfeifer	D14/407
D340,923	S	*	11/1993	Tso	D14/407
D340,924	S	*	11/1993	Tso	D14/407
D368,080	S	*	3/1996	Aeschbacher et al.	D14/407
D372,908	S	*	8/1996	Aeschbacher et al.	D14/407
D386,163	S	*	11/1997	Cheng	D14/407
D435,555	S	*	12/2000	Swansey	D14/402
6,252,582	B1	*	6/2001	Rogers et al.	345/156
D478,908	S	*	8/2003	Morisawa	D14/402
6,727,889	B2	*	4/2004	Shaw	345/163
6,738,041	B2	*	5/2004	Silber	345/158
D493,173	S	*	7/2004	Canavan et al.	D14/408
D521,999	S	*	5/2006	Shimizu	D14/402
7,233,318	B1	*	6/2007	Farag et al.	345/163
D563,957	S	*	3/2008	White et al.	D14/408

OTHER PUBLICATIONS

Tilt 4 D Optical Mouse IR-7210J, downloaded from <<http://shop.tsukumo.co.jp/special/041031a/>>, Oct. 29, 2007, 2 pages.

MoGo Mouse BT, downloaded from <http://www.newtonperipherals.com/mogo_mouseBT.html>, Oct. 29, 2007, 2 pages.

MX Air Rechargeable Cordless Air Mouse, Jul. 12, 2007, downloaded from <http://www.logitech.com/index.cfm/mice_pointers/mice/devices/3443>, 2 pages.

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a computer input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a computer input device in an open configuration showing the new design.

FIG. 2 is a right side elevational view thereof.

FIG. 3 is a left side elevational view thereof.

FIG. 4 is a front view thereof.

FIG. 5 is a rear view thereof.

FIG. 6 is a top plan view thereof.

FIG. 7 is a bottom plan view thereof.

FIG. 8 is a bottom perspective view of the computer input device in a closed configuration.

FIG. 9 is a right side perspective view thereof.


FIG. 10 is a rear perspective view of the computer input device in an open configuration.

FIG. 11 is a bottom perspective view thereof; and,

FIG. 12 is a second bottom perspective view thereof.

The broken line regions and the unshaded areas there within, e.g., illustrative of the scroll wheel, textured sides, feet, side button, arrow on retractable base, optics, battery compartment, and bottom label region, are for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12