



US00D616485S

(12) **United States Design Patent**  
**Thixton**

(10) **Patent No.:** **US D616,485 S**  
(45) **Date of Patent:** **\*\* May 25, 2010**

(54) **EYEGLASS AND EYEGLASS COMPONENTS**

(75) Inventor: **Lek Thixton**, Eastsound, WA (US)

(73) Assignee: **Eye Safety Systems, Inc.**, Ketchum, ID (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/316,980**

(22) Filed: **Nov. 13, 2009**

(51) **LOC (9) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/314**

(58) **Field of Classification Search** ..... D16/101,  
D16/300–342; D29/109–110; D24/110.2;  
351/41, 44, 51–52, 62, 158, 92, 103–123,  
351/140, 153, 45–46; 2/426–432, 447–449,  
2/441, 434–437, 13, 15; D21/483, 659–661  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,730,915 A	3/1988	Jannard
4,824,233 A	4/1989	Jannard
4,859,048 A	8/1989	Jannard
4,867,550 A	9/1989	Jannard
D323,333 S	1/1992	Jannard et al.
D324,528 S	3/1992	Jannard
D325,040 S	3/1992	Jannard
D328,468 S	8/1992	Jannard
D329,442 S	9/1992	Jannard
D329,445 S	9/1992	Jannard
D330,035 S	10/1992	Jannard
D330,716 S	11/1992	Jannard
D330,903 S	11/1992	Jannard
D331,763 S	12/1992	Jannard
D333,145 S	2/1993	Jannard
D334,389 S	3/1993	Bolle
D335,887 S	5/1993	Jannard
5,208,614 A	5/1993	Jannard
D336,908 S	6/1993	Jannard
5,249,001 A	9/1993	Jannard
D344,742 S	3/1994	Jannard

D354,968 S	1/1995	Jannard
D384,364 S	9/1997	Yee
5,760,868 A	6/1998	Jannard et al.
D399,519 S	10/1998	Yee
D399,866 S	10/1998	Yee
D426,845 S	6/2000	Green et al.
D440,597 S	4/2001	Chen
D452,522 S	12/2001	Chiou
D473,892 S	4/2003	Thixton et al.
D474,800 S	5/2003	Hou
D483,791 S	12/2003	Thixton et al.
D508,255 S	8/2005	Wu

(Continued)

**OTHER PUBLICATIONS**

Wiley X, www.wileyx.com, Guard, PT-1, PT-3, and WX Talon models, unknown publication date, printed on Mar. 12, 2010.

(Continued)

*Primary Examiner*—Raphael Barkai  
(74) *Attorney, Agent, or Firm*—Gregory K. Nelson


(57) **CLAIM**

The ornamental design for an eyeglass and eyeglass components, as shown.

**DESCRIPTION**

FIG. 1 is a front perspective view of the eyeglass and eyeglass components of the present invention;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.

**1 Claim, 4 Drawing Sheets**



# US D616,485 S

Page 2

---

## U.S. PATENT DOCUMENTS


D533,572 S 12/2006 Howard et al.  
D533,889 S 12/2006 Saderholm et al.  
D545,868 S 7/2007 Chuang  
D551,281 S 9/2007 Lee  
D556,239 S 11/2007 Yee  
D561,815 S 2/2008 Yee  
7,347,545 B1 3/2008 Jannard et al.  
D568,917 S 5/2008 Yee  
D568,918 S 5/2008 Yee  
D569,412 S 5/2008 Jannard et al.  
D571,838 S 6/2008 Yee  
D573,621 S 7/2008 Yee

D574,025 S 7/2008 Yee  
D574,405 S 8/2008 Yee  
D581,443 S 11/2008 Jannard et al.  
D581,444 S 11/2008 Jannard et al.  
D585,475 S \* 1/2009 Yang ..... D16/314  
D590,432 S 4/2009 Yee  
7,594,723 B2 9/2009 Jannard et al.


## OTHER PUBLICATIONS

Revision Eyewear, [www.revisioneyewear.com](http://www.revisioneyewear.com), Sawfly model,  
unknown publication date, printed on Mar. 12, 2010.


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**