



US00D616520S

(12) **United States Design Patent**
Starnes

(10) **Patent No.:** **US D616,520 S**
(45) **Date of Patent:** **** May 25, 2010**

(54) **RIFLE RAIL HANDGUARD WITH OBLONG CROSS-SECTION**

2007/0199435 A1* 8/2007 Hochstrate et al. 89/191.02
* cited by examiner

(76) Inventor: **John M. Starnes**, 5600 Bybee Rd.,
Winchester, KY (US) 40391

Primary Examiner—T. Chase Nelson
Assistant Examiner—Michael A Pratt
(74) *Attorney, Agent, or Firm*—Bennet K. Langlotz; Langlotz
Patent & Trademark Works, Inc.

(**) Term: **14 Years**

(21) Appl. No.: **29/314,725**

(57) **CLAIM**

(22) Filed: **Apr. 23, 2009**

The ornamental design for a rifle rail handguard with oblong cross-section, as shown and described.

(51) **LOC (9) Cl.** **22-01**
(52) **U.S. Cl.** **D22/108**
(58) **Field of Classification Search** D22/100,
D22/108, 109, 110, 199; 42/11, 113, 116,
42/119, 124, 125, 127, 90, 145, 128, 72,
42/106, 114, 85, 75.02, 71.01; 248/205.1,
248/201

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,598,330	B2 *	7/2003	Garrett et al.	42/85
2005/0000142	A1 *	1/2005	Kim et al.	42/124
2005/0241206	A1 *	11/2005	Teetzel et al.	42/72
2006/0026883	A1 *	2/2006	Hochstrate et al.	42/75.01
2006/0048424	A1 *	3/2006	Weir	42/69.01
2006/0162227	A1 *	7/2006	Samson	42/148

DESCRIPTION

FIG. 1 is a front perspective view of a rifle rail handguard with oblong cross-section showing my (our) new design;

FIG. 2 is a top view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a bottom view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a rear view thereof.

The broken line showing of portions of the rifle rail handguard with oblong cross in FIGS. 1,2,4,5 and 7 forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7