



US00D616524S

(12) **United States Design Patent**
Haroian

(10) **Patent No.:** **US D616,524 S**

(45) **Date of Patent:** **** May 25, 2010**

(54) **STRIKE INDICATOR**

D551,317 S * 9/2007 Hope D22/134
7,337,577 B1 * 3/2008 Ramirez 43/17

(76) Inventor: **Andrew B. Haroian**, 5477 Kendall St.,
Boise, ID (US) 83706

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Catherine R Oliver
(74) *Attorney, Agent, or Firm*—Holland Law Office, PLLC

(21) Appl. No.: **29/342,733**

(57) **CLAIM**

(22) Filed: **Aug. 31, 2009**

The ornamental design for a strike indicator, as shown and described herein.

(51) **LOC (9) Cl.** **22-05**

(52) **U.S. Cl.** **D22/134; D22/146**

(58) **Field of Classification Search** D22/134–136,
D22/138–139, 146, 199; 43/43.1, 15–17,
43/17.5, 25

See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a strike indicator showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a side view thereof;

FIG. 5 is an opposite side view thereof;

FIG. 6 is a top view thereof; and,


FIG. 7 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D299,946 S *	2/1989	Dorsey	D22/134
D401,995 S *	12/1998	Yamagata	D22/134
D403,737 S *	1/1999	Howe et al.	D22/139
D421,478 S *	3/2000	Medrano	D22/134
D484,563 S *	12/2003	Rozkowski	D22/134

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7