

US00D616527S

(12) United States Design Patent

Anderson et al.

(10) Patent No.:

US D616,527 S

(45) Date of Patent: ** May 25, 2010

(54) SPRAY GUN

(75) Inventors: **Richard P. Anderson**, Cedar Lake

Township, MN (US); Joseph W. Kieffer, Chanhassen, MN (US); Christopher J. Sulzer, St. Louis Park, MN (US)

(73) Assignee: Wagner Spray Tech Corporation,

Plymouth, MN (US)

(**) Term: 14 Years

(21) Appl. No.: 29/343,784

(22) Filed: Sep. 18, 2009

(52) U.S. Cl. D23/226

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,497,625 A 2/1950 Norwick 3,236,459 A 2/1966 McRitchie

(Continued)

FOREIGN PATENT DOCUMENTS

WO 2009140472 11/2009

OTHER PUBLICATIONS

Binks Model 18N Spray Gun, dated Apr. 1989, accessed at http://www.binks.com/Service%20Bulletins/77-1795r-12.pdf on Sep. 4, 2009.

(Continued)

Primary Examiner—Robin V Webster (74) Attorney, Agent, or Firm—Christopher J. Volkmann; Westman, Champlin & Kelly, P.A.

(57) CLAIM

The ornamental design for a spray gun, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the spray gun in accordance with a first embodiment.

FIG. 2 is a left side view of the spray gun in accordance with a first embodiment.

FIG. 3 is a right side view of the spray gun in accordance with a first embodiment.

FIG. 4 is a front view of the spray gun in accordance with a first embodiment.

FIG. **5** is a back view of the spray gun in accordance with a first embodiment.

FIG. 6 is a top view of the spray gun in accordance with a first embodiment.

FIG. 7 is a bottom view of the spray gun in accordance with a first embodiment.

FIG. 8 is a perspective view of the spray gun in accordance with a second embodiment.

FIG. 9 is a left side view of the spray gun in accordance with a second embodiment.

FIG. 10 is a right side view of the spray gun in accordance with a second embodiment.

FIG. 11 is a front view of the spray gun in accordance with a second embodiment.


FIG. 12 is a back view of the spray gun in accordance with a second embodiment.


FIG. 13 is a top view of the spray gun in accordance with a second embodiment; and,

FIG. 14 is a bottom view of the spray gun in accordance with a second embodiment.

The dotted lines in FIGS. 1–14 do not form any part of the claimed design for the spray gun.

1 Claim, 14 Drawing Sheets





US D616,527 S Page 2

U.S. PATENT DOCUMENTS					D570,448	S	*	6/2008	Wang D23/226
					D574,928	S	*	8/2008	Huang D23/226
	D313,270 S *	12/1990	Lin	D23/226					Bass et al D23/223
	D314,421 S *	2/1991	Tajima et al	D23/226	D604,393	S		11/2009	Johnson et al.
	5,064,119 A	11/1991	Mellette		/				Wang D23/226
	5,332,159 A	7/1994	Grime et al.						
	6,019,294 A 2/2000 Anderson et al.			OTHER PUBLICATIONS					
	6,708,900 B1	3/2004	Zhu et al.		Green progg relegge New HVI D Turbe Force detect Ion 2 2000				
	D552,715 S *	10/2007	Schmon et al	D23/226	Graco press release New HVLP TurboForce, dated Jan. 3, 2009.				
	,		Schmon et al		* cited by exar	nin	er		






FIG. 1








FIG. 4





FIG. 5






FIG. 7






FIG. 8








FIG. 11

May 25, 2010





FIG. 12



May 25, 2010




FIG. 14