



US00D616539S

(12) **United States Design Patent**
McGill

(10) **Patent No.:** **US D616,539 S**

(45) **Date of Patent:** **** *May 25, 2010**

(54) **DISPOSABLE FLUID HANDLING CASSETTE**

2008/0208111 A1 8/2008 Kamen et al.
2008/0240929 A1 10/2008 Kamen et al.

(75) Inventor: **David W. McGill**, Bedford, NH (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **DEKA Products Limited Partnership**,
Manchester, NH (US)

EP 0829266 A2 3/1996
EP 0815882 A2 1/1998
WO WO 2009/09418 A1 7/2009
WO WO 2009/09418 A2 7/2009

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/331,341**

Primary Examiner—Lisa P Lichtenstein

(22) Filed: **Jan. 23, 2009**

(74) *Attorney, Agent, or Firm*—Wolf, Greenfield & Sacks,
P.C.

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/111**

(58) **Field of Classification Search** D24/111,
D24/232, 231, 108, 107; 604/153, 30, 34,
604/113, 82, 114; 417/474

(57) **CLAIM**

See application file for complete search history.

The ornamental design for a disposable fluid handling cassette, as shown and described.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

| | | | | |
|-----------------|---------|-----------------|-------|---------|
| D331,799 S * | 12/1992 | Kramer et al. | | D24/111 |
| 5,302,093 A * | 4/1994 | Owens et al. | | 417/474 |
| D350,822 S * | 9/1994 | Lanigan | | D24/111 |
| D350,823 S * | 9/1994 | Lanigan | | D24/111 |
| 5,350,357 A | 9/1994 | Kamen et al. | | |
| D357,312 S * | 4/1995 | Riquier et al. | | D24/111 |
| 5,421,823 A | 6/1995 | Kamen et al. | | |
| 5,431,626 A | 7/1995 | Bryant et al. | | |
| 5,438,510 A | 8/1995 | Bryant et al. | | |
| 5,474,683 A | 12/1995 | Bryant et al. | | |
| 5,540,808 A | 7/1996 | Vincent et al. | | |
| 5,628,908 A | 5/1997 | Kamen et al. | | |
| 5,634,896 A | 6/1997 | Bryant et al. | | |
| D398,051 S | 9/1998 | Lanigan | | |
| 5,938,634 A | 8/1999 | Packard | | |
| 5,989,423 A | 11/1999 | Kamen et al. | | |
| 6,416,293 B1 | 7/2002 | Bouchard et al. | | |
| 6,743,201 B1 * | 6/2004 | Donig et al. | | 604/114 |
| 2006/0241550 A1 | 10/2006 | Kamen et al. | | |
| 2008/0015493 A1 | 1/2008 | Childers et al. | | |

FIG. 1 is a perspective view of a disposable fluid handling cassette showing the front, left and bottom sides thereof;
 FIG. 2 is a perspective view of a disposable fluid handling cassette showing the front, right and bottom sides thereof;
 FIG. 3 is a perspective view of a disposable fluid handling cassette showing the rear, left and bottom sides thereof;
 FIG. 4 is a perspective view of a disposable fluid handling cassette showing the rear, right and bottom sides thereof;
 FIG. 5 is a front side view thereof;
 FIG. 6 is a rear side view thereof;
 FIG. 7 is a right side view thereof;
 FIG. 8 is a left side view thereof;
 FIG. 9 is a top side view thereof; and,
 FIG. 10 is a bottom side view thereof.

The broken line representations in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10