



US00D616563S

(12) **United States Design Patent**
Huck et al.

(10) **Patent No.:** **US D616,563 S**

(45) **Date of Patent:** **** May 25, 2010**

(54) **KEYBOARD STERILIZATION DEVICE**

(75) Inventors: **Charles M. Huck**, Somerville, NJ (US);
Charles R. Ashley, Asbury, NJ (US)

(73) Assignee: **Virwall Systems, Inc.**, Lakeville, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/325,096**

(22) Filed: **Sep. 25, 2008**

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D24/217**

(58) **Field of Classification Search** D24/216-234;
422/26-28, 31, 292, 295, 297, 300

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D434,613 S *	12/2000	Tramontina	D7/631
D502,546 S *	3/2005	Shin	D24/217
D542,929 S *	5/2007	Shin	D24/217
D573,474 S *	7/2008	Beam et al.	D9/529
D584,417 S *	1/2009	Massee	D24/217
D593,262 S *	5/2009	Gong	D32/1

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Kelley A Donnelly

(74) *Attorney, Agent, or Firm*—The Marbury Law Group,
PLLC

(57) **CLAIM**

We claim the design for a keyboard sterilization device, as shown and described.

DESCRIPTION

FIG. 1 is a top view of our keyboard sterilization device design;

FIG. 2 is a view of the keyboard sterilization device standing on end, showing the back side of the device;


FIG. 3 is a view of the keyboard sterilization device standing on end, showing the front side of the device;

FIG. 4 is a right-hand side elevational view of the device; and,

FIG. 5 is a left-hand side elevational view of the device.

The broken lines are for environmental purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5