



US00D616768S

(12) **United States Design Patent**  
**Bellin et al.**

(10) **Patent No.:** **US D616,768 S**  
(45) **Date of Patent:** **\*\* Jun. 1, 2010**

(54) **DEVICE FOR INDICATING CHANGES IN A PHYSIOLOGICAL PARAMETERS OF A LIVING BODY**

*Primary Examiner*—Antoine D Davis  
(74) *Attorney, Agent, or Firm*—Seldon & Scillieri

(75) Inventors: **Russell D. Bellin**, Los Angeles, CA (US); **Reiko Abo**, Westlake Village, CA (US); **Tyler Garland**, Berekley, CA (US)

(57) **CLAIM**

The ornamental design for a device for indicating changes in a physiological parameters of a living body, as shown and described.

(73) Assignee: **Church of Spiritual Technology**, Los Angeles, CA (US)

**DESCRIPTION**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/322,862**

(22) Filed: **Aug. 13, 2008**

**Related U.S. Application Data**

(63) Continuation of application No. 29/283,543, filed on Aug. 16, 2007, now abandoned, which is a continuation of application No. 29/251,730, filed on Jan. 11, 2006, now abandoned, which is a continuation-in-part of application No. 29/202,306, filed on Mar. 30, 2004, now abandoned.

FIG. 1 is a left front perspective view of a device for indicating changes in a physiological parameter of a living body in accordance with the present invention;

FIG. 2 is a right front perspective view thereof;

FIG. 3 is a front elevation view of thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof showing a foldable rear leg in the closed position;

FIG. 6 is a left side elevation view thereof;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is a rear elevation view thereof;

FIG. 9 is a right front perspective view thereof with the foldable leg extended;

FIG. 10 is a right side elevation view thereof;

FIG. 11 is a left rear perspective view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a front elevation view of a second alternative embodiment of the device showing a special surface finish thereon, this embodiment being the same as the first embodiment except for the special finish;

FIG. 14 is a bottom plan view of the second embodiment with the foldable leg in the extended positions; and,

FIG. 15 is an enlarged partial plan view of the special surface finish shown in a circle in FIG. 14.

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/46; D10/81; D10/94**

(58) **Field of Classification Search** ..... D10/46, D10/81, 94; 273/460; 338/13, 28, 334; 364/482, 364/410; 434/236, 262; 600/547-548, 308, 600/309, 546; 607/56; D24/186-187, 232-234  
See application file for complete search history.


(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D309,867	S *	8/1990	Johnson	.....	D10/81
5,860,935	A *	1/1999	Blaszynski et al.	.....	600/547
2001/0018561	A1 *	8/2001	Tanida	.....	600/547
2005/0181341	A1 *	8/2005	Ewing et al.	.....	434/262
2008/0188733	A1 *	8/2008	Al-Ali et al.	.....	600/364


\* cited by examiner

**1 Claim, 7 Drawing Sheets**





*FIG. 1*



*FIG. 2*




FIG. 3




FIG. 4






FIG. 5




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*




*FIG. 10*




*FIG. 11*




*FIG. 12*



*FIG. 13*



*FIG. 14*



*FIG. 15*