



US00D616774S

(12) **United States Design Patent**  
**Latta et al.**

(10) **Patent No.:** **US D616,774 S**  
(45) **Date of Patent:** **\*\* Jun. 1, 2010**

(54) **THICKNESSING GAUGE**

2009/0249743 A1\* 10/2009 Bodnar ..... 52/846

(76) Inventors: **Stephen Latta**, 66 Amy Dr., Gap, PA  
(US) 17527; **Thomas Lie-Nielsen**, Box  
9, Warren, ME (US) 04864

\* cited by examiner

*Primary Examiner*—Antoine D Davis  
(74) *Attorney, Agent, or Firm*—E. J. Asury, III, LLC

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/334,925**

The ornamental design for a thicknessing gauge, as shown  
and described.

(22) Filed: **Apr. 4, 2009**

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70**

(58) **Field of Classification Search** ..... D10/70;  
33/465, 471, 534, 536, 537, 538, 640, 641;  
83/421, 425, 435.1, 437, 438, 468, 468.3,  
83/438.7, 477.2, 581

See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a perspective view of the thicknessing gauge;  
FIG. 2 is a top side view thereof;  
FIG. 3 is a left view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a back view thereof; and,  
FIG. 7 is a bottom view thereof.


The broken lines shown in FIGS. 1–7 show environmental  
structure and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D243,867 S \* 3/1977 Williams, Jr. .... D10/70  
4,150,288 A \* 4/1979 Inoue et al. .... 378/50  
5,379,669 A \* 1/1995 Roedig ..... 83/421

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7