



US00D617261S

(12) **United States Design Patent**  
**Larregain**

(10) **Patent No.:** **US D617,261 S**  
(45) **Date of Patent:** **\*\* Jun. 8, 2010**

(54) **PNEUMATIC TIRE**

(75) Inventor: **Arnaud Larregain**, Thiers (FR)

(73) Assignees: **Societe de Technologie Michelin**,  
Clermont-Ferrand (FR); **Michelin**  
**Recherche et Technique S.A.**,  
Granges-Paccot (FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/352,314**

(22) Filed: **Dec. 18, 2009**

(30) **Foreign Application Priority Data**

Jun. 22, 2009 (FR) ..... 09 3021

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/535**

(58) **Field of Classification Search** ..... D12/533-537,  
D12/569-572, 900-901, 563; 152/209.1,  
152/209.8-209.25, 209.28, 455  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                |       |         |
|--------------|---------|----------------|-------|---------|
| D346,351 S * | 4/1994  | Suzuki         | ..... | D12/535 |
| D381,303 S * | 7/1997  | Jackson        | ..... | D12/535 |
| D420,312 S * | 2/2000  | Hara           | ..... | D12/535 |
| D434,353 S * | 11/2000 | Jackson et al. | ..... | D12/535 |
| D487,248 S * | 3/2004  | Taniguchi      | ..... | D12/535 |
| D522,445 S * | 6/2006  | Shibamoto      | ..... | D12/535 |
| D528,066 S * | 9/2006  | Shibamoto      | ..... | D12/535 |

|              |         |                    |       |         |
|--------------|---------|--------------------|-------|---------|
| D542,215 S * | 5/2007  | Jackson et al.     | ..... | D12/535 |
| D554,044 S * | 10/2007 | Shibamoto          | ..... | D12/535 |
| D554,047 S * | 10/2007 | Toyozawa           | ..... | D12/535 |
| D555,074 S * | 11/2007 | Zawistowski et al. | ..... | D12/535 |
| D558,130 S * | 12/2007 | Steinbach          | ..... | D12/535 |
| D565,499 S * | 4/2008  | Itoi et al.        | ..... | D12/535 |
| D587,645 S * | 3/2009  | Steinbach          | ..... | D12/535 |
| D600,631 S * | 9/2009  | Kumamoto           | ..... | D14/535 |
| D601,942 S * | 10/2009 | Bell et al.        | ..... | D12/535 |

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll &  
Rooney PC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a pneumatic tire incorporating my new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference.

FIG. 2 is an elevational view of one end of the pneumatic tire shown in FIG. 1.



FIG. 3 is an elevational view of the opposite end of the tire.

FIG. 4 is a detail view of FIG. 2.

FIG. 5 is a side view of one side of the pneumatic tire; and,

FIG. 6 is a side view of the opposite side of the pneumatic tire.

**1 Claim, 6 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6