



US00D617358S

(12) **United States Design Patent**  
**Guse**

(10) **Patent No.:** **US D617,358 S**  
(45) **Date of Patent:** **\*\* Jun. 8, 2010**

(54) **COLLET-LESS BORING BAR DEVICE**

(76) Inventor: **Matthew R. Guse**, 524 N. Spring St.,  
Augusta, WI (US) 54722

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/348,420**

(22) Filed: **Jan. 5, 2010**

**Related U.S. Application Data**

(62) Division of application No. 29/315,732, filed on Jul.  
20, 2009, now Pat. No. Des. 610,177.

(51) **LOC (9) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/139**

(58) **Field of Classification Search** ..... D8/70;  
D15/138, 139, 140; 407/25, 30, 34-39, 43,  
407/48, 53, 55, 56, 61, 97-100, 113, 114;  
408/187, 199, 713

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,912,413	A *	10/1975	Werther	.....	408/143
4,278,373	A *	7/1981	Wolfe, III	.....	408/188
4,659,264	A *	4/1987	Friedline	.....	408/204
4,844,669	A *	7/1989	Tsujimura et al.	.....	408/188
5,024,563	A	6/1991	Randall		
5,039,259	A *	8/1991	Duncan	.....	407/34
5,261,767	A	11/1993	Tsujimura et al.		
6,220,795	B1 *	4/2001	Matthews	.....	408/1 R
6,609,859	B1	8/2003	Sjoo		
6,808,340	B2	10/2004	Travez et al.		
D508,507	S	8/2005	Oettle		
D526,669	S *	8/2006	McCoppin	.....	D15/139
D541,320	S *	4/2007	Sjoo et al.	.....	D15/139

7,226,250	B2 *	6/2007	Gatton et al.	.....	408/1 R
7,237,985	B2 *	7/2007	Leuze et al.	.....	408/227
2004/0126196	A1 *	7/2004	Burr et al.	.....	408/187
2007/0283794	A1	12/2007	Giannetti		

\* cited by examiner

*Primary Examiner*—Sandra Snapp

*Assistant Examiner*—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Tipton L. Randall

(57) **CLAIM**

The ornamental design for a collet-less boring bar device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of one embodiment of the collet-less boring bar device embodying my new design,

FIG. 2 is a rear view of the collet-less boring bar device of FIG. 1,

FIG. 3 is a right side view of the collet-less boring bar device of FIG. 1,

FIG. 4 is a left side view of the collet-less boring bar device of FIG. 1,


FIG. 5 is a top view of the collet-less boring bar device of FIG. 1,

FIG. 6 is a bottom view of the collet-less boring bar device of FIG. 1,

FIG. 7 is perspective view of the collet-less boring bar device of FIG. 1; and,

FIG. 8 is a perspective view of the collet-less boring bar device of FIG. 1 with phantom lines indicating a bit and clamp secured to the device for reference only, the bit and clamp not being included as part of the disclosed invention.

**1 Claim, 7 Drawing Sheets**






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8