



US00D617415S

(12) **United States Design Patent**  
**Feenstra**

(10) **Patent No.:** **US D617,415 S**  
(45) **Date of Patent:** **\*\* Jun. 8, 2010**

(54) **DEFLECTOR FOR FIRE PROTECTION SPRINKLER**

(75) Inventor: **Shawn J. Feenstra**, Caledonia, MI (US)

(73) Assignee: **The Viking Corporation**, Hastings, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/356,839**

(22) Filed: **Mar. 3, 2010**

4,405,018 A	9/1983	Fischer
4,580,729 A	4/1986	Pounder
4,657,085 A	4/1987	Jacobsen
4,800,961 A	1/1989	Klein
4,901,799 A	2/1990	Pepi et al.
4,930,578 A	6/1990	Barnett et al.
5,036,923 A	8/1991	Shea, Sr.
5,094,298 A	3/1992	Polan
5,152,344 A	10/1992	Fischer et al.

(Continued)

**Related U.S. Application Data**

(62) Division of application No. 29/334,369, filed on Mar. 25, 2009.

(51) **LOC (9) Cl.** ..... **23-01**

(52) **U.S. Cl.** ..... **D23/214**

(58) **Field of Classification Search** ..... D23/213, D23/214; 169/37, 38, 39

See application file for complete search history.

**FOREIGN PATENT DOCUMENTS**

WO 98/18525 5/1998

*Primary Examiner*—Robin V Webster

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a deflector for a fire protection sprinkler, as shown and described.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

720,013 A	2/1903	Esty
824,128 A	6/1906	Martin
1,165,313 A	12/1915	Bower
2,862,565 A	12/1958	Dukes
3,525,402 A	8/1970	Hattori
3,653,444 A	4/1972	Livingston
3,682,251 A	8/1972	Livingston
3,722,596 A	3/1973	Livingston
3,743,022 A	7/1973	Livingston
3,768,736 A	10/1973	Cox
3,812,915 A	5/1974	Livingston
3,888,313 A	6/1975	Freeman
3,904,126 A	9/1975	Allard
4,091,873 A	5/1978	Werner
4,099,675 A	7/1978	Wohler et al.
4,136,740 A	1/1979	Groos et al.
4,279,309 A	7/1981	Fischer et al.
4,296,815 A	10/1981	Mears
4,296,816 A	10/1981	Fischer

**DESCRIPTION**

FIG. 1 is a perspective view of a deflector for a fire protection sprinkler;


FIG. 2 is a bottom view thereof (the top view is identical to the bottom view);

FIG. 3 is a front side view thereof (the rear view is identical to the front view); and,

FIG. 4 is a right side view thereof (the left side view is identical to the right side view).

The broken line showing in FIGS. 1 and 2 is included for the purpose of illustrating and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D617,415 S

Page 2

---

## U.S. PATENT DOCUMENTS

D348,719 S	7/1994	Dolan	5,865,256 A	2/1999	Pounder
5,366,022 A	11/1994	Meyer et al.	5,890,657 A	4/1999	Ponte
5,579,846 A	12/1996	Meyer et al.	5,915,479 A	6/1999	Ponte
5,584,344 A	12/1996	Meyer et al.	6,059,044 A	5/2000	Fischer
5,609,211 A	3/1997	Meyer et al.	6,502,643 B1	1/2003	Meyer et al.
5,664,630 A	9/1997	Meyer et al.	7,165,624 B1	1/2007	Fischer
5,687,914 A	11/1997	Bosio et al.	D544,569 S	6/2007	Franson et al.
5,829,532 A	11/1998	Meyer et al.	D546,415 S	7/2007	Franson et al.
5,839,667 A	11/1998	Fischer	D546,416 S	7/2007	Franson et al.
5,862,994 A	1/1999	Pounder et al.	D546,417 S	7/2007	Franson et al.
			7,343,980 B2	3/2008	Pahila




Fig-1




Fig-2




Fig-4



Fig-3