



US00D617490S

(12) **United States Design Patent**  
**Hackett**

(10) **Patent No.:** **US D617,490 S**

(45) **Date of Patent:** **\*\* \*Jun. 8, 2010**

(54) **GLOBE LIGHT FIXTURE**

(75) Inventor: **Alan R. Hackett**, Seal Beach, CA (US)

(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/311,012**

(22) Filed: **Dec. 5, 2008**

**Related U.S. Application Data**

(62) Division of application No. 29/300,476, filed on Mar. 31, 2008, now Pat. No. Des. 590,536.

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/85; D26/67**

(58) **Field of Classification Search** ..... D26/67-71, D26/85, 87, 92, 153, 154; 362/147, 152, 362/183, 414, 431, 545; D25/135; 52/300, 52/302.5

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D62,542 S \* 6/1923 Anderson ..... D26/67
- D64,120 S 3/1924 Lieflechter
- D64,695 S \* 5/1924 Underwood ..... D26/67
- D66,366 S 1/1925 Haley
- 1,573,580 A 2/1926 Ruttle
- D70,869 S 8/1926 Underwood
- D77,410 S \* 1/1929 Harris ..... D26/67
- D81,452 S 7/1930 Osborn

- D81,634 S \* 7/1930 de Witt ..... D26/68
- 1,778,061 A 10/1930 Butler
- D82,498 S \* 11/1930 Haas ..... D26/154
- 1,833,122 A 11/1931 Oliver
- 1,878,799 A \* 9/1932 Ne Page ..... 52/302.5
- D163,486 S 7/1951 Black
- 3,974,372 A \* 8/1976 Cochran ..... 362/431
- 4,434,455 A 2/1984 Merritt
- 4,719,548 A 1/1988 Orosz
- D300,670 S \* 4/1989 Ewing et al. .... D26/67
- D343,243 S 1/1994 Ewing et al.
- D403,095 S 12/1998 Ewing et al.
- D456,092 S \* 4/2002 Ewing et al. .... D26/67
- D469,565 S 1/2003 Anderson et al.
- D515,231 S \* 2/2006 Randazzo et al. .... D26/67
- D518,912 S \* 4/2006 Burke ..... D26/87
- 2004/0070985 A1 \* 4/2004 Haddad et al. .... 362/431

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Jenae C. Gureff; Mark S. Bicks; Alfred N. Goodman

(57) **CLAIM**

The ornamental design for a globe light fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a globe light fixture in accordance with the present invention;


FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a bottom perspective view thereof; and,

FIG. 5 is an enlarged front elevational view of the finial portion thereof, with the remaining portions being omitted for illustrative purposes only.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5