



US00D617980S

(12) **United States Design Patent**
Guinyard

(10) **Patent No.:** **US D617,980 S**
(45) **Date of Patent:** **** Jun. 22, 2010**

(54) **HEAD COVERING**

(76) **Inventor:** **Quincy P. Guinyard**, 817 US Highway
67, Apt. 927, Mesquite, TX (US) 75150

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/328,649**

(22) **Filed:** **Nov. 26, 2008**

(51) **LOC (9) Cl.** **02-03**

(52) **U.S. Cl.** **D2/880**

(58) **Field of Classification Search** D2/500,
D2/865, 866, 867, 878, 879, 880, 881, 884;
2/68, 171, 172, 174, 195.8, 202, 204, 207;
132/273, 274

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

690,982	A *	1/1902	Morse	2/204
D46,410	S *	9/1914	Seilaz	D2/867
D60,754	S *	4/1922	Nelson	D2/878
1,610,480	A *	12/1926	Seilaz	132/274
1,637,126	A *	7/1927	Nelson	132/59
1,720,560	A *	7/1929	Lipper	2/195.8
2,193,271	A *	3/1940	Cowherd	2/171
D277,139	S	1/1985	DeFalco	
D381,790	S	8/1997	Harris	
5,694,648	A *	12/1997	Nucifora	2/172
5,878,756	A *	3/1999	Bilodeau	132/274
6,014,776	A	1/2000	DeVinzio	
D440,381	S *	4/2001	Webb et al.	D2/879
D472,367	S *	4/2003	Maya	D2/880
6,560,784	B2 *	5/2003	Hill	2/171
D482,843	S *	12/2003	Burnett	D2/500
D482,848	S	12/2003	McKinney	
D486,293	S *	2/2004	Harris et al.	D2/500
6,735,783	B2 *	5/2004	Phillips	2/202
6,738,986	B1 *	5/2004	Martin	2/207
D513,661	S	1/2006	Handy	
D515,285	S	2/2006	James	
7,096,510	B2 *	8/2006	Yeadon	2/202
7,200,874	B2 *	4/2007	Leguenec	2/202
39,783	A1 *	1/2008	Adejare	2/171

D564,732 S * 3/2008 Cash, Sr. D2/884
7,412,729 B1 * 8/2008 McGovern 2/174

(Continued)

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Daniel J. Chalker; Edwin S.
Flores; Chalker Flores, LLP

(57) **CLAIM**

The ornamental design for a head covering, as shown and
described.

DESCRIPTION

FIG. 1 is a side view of the head covering in a tied position as
worn by a user;

FIG. 2 is a front view of the head covering in a tied position as
worn by a user;

FIG. 3 is a back view of the head covering in a tied position as
worn by a user;

FIG. 4 is a front view of the head covering in an untied
position;

FIG. 5 is a back view of the head covering in an untied
position;


FIG. 6 is a side view of the head covering in an untied
position;

FIG. 7 is a top view of the head covering in an untied position
laid on a flat surface with the front portion laid over the top
portion; and,

FIG. 8 is a bottom view of the head covering in an untied
position laid on a flat surface.

The broken lines shown in the drawings illustrate stitched
seams and form part of the claimed design.

1 Claim, 4 Drawing Sheets



US D617,980 S

Page 2

U.S. PATENT DOCUMENTS				2007/0094768	A1 *	5/2007	Moudgill	2/171
2005/0034215	A1	2/2005	Harrison	2008/0282449	A1 *	11/2008	Grey et al.	2/204
2006/0021111	A1	2/2006	Footman, Jr.	2008/0307561	A1 *	12/2008	Grey et al.	2/202
2007/0050887	A1	3/2007	Leguenec	* cited by examiner				

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

