



US00D618237S

(12) **United States Design Patent**  
**Wang**

(10) **Patent No.:** **US D618,237 S**  
(45) **Date of Patent:** **\*\* Jun. 22, 2010**

(54) **EXTERNAL STORAGE DEVICE CASE**

(75) Inventor: **Chia-Jen Wang**, Taipei Hsien (TW)

(73) Assignee: **Datastore Technology Corp.**, Taipei Hsien (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/336,894**

(22) Filed: **May 12, 2009**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/356**

(58) **Field of Classification Search** ..... D14/137,  
D14/167, 168, 231, 233, 235, 237, 240-242,  
D14/299, 432, 435, 436, 155, 496, 300, 301,  
D14/313, 314, 214, 348-363, 365-370; D18/56;  
D13/149, 162, 184, 199; D3/201, 273; D10/65,  
D10/75, 78; 312/223.1, 223.2; 369/34.01,  
369/36.01, 272.1; 360/132, 133, 135; 361/679.31-679.45  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D246,240 S *	11/1977	Hansen	.....	D13/103
D275,752 S *	10/1984	Mahan	.....	D14/240
D309,604 S *	7/1990	Osaka et al.	.....	D14/368
D383,131 S *	9/1997	Biasotti et al.	.....	D14/149
D416,004 S *	11/1999	Tanimura	.....	D14/368
D427,193 S *	6/2000	Fedele	.....	D14/348
D429,238 S *	8/2000	Kolinen	.....	D14/240
D435,522 S *	12/2000	Ohlwine et al.	.....	D13/162
D436,434 S *	1/2001	Conway	.....	D3/203.5

D470,845 S *	2/2003	Hyun	.....	D14/393
D532,786 S *	11/2006	Iseki	.....	D14/365
D586,808 S *	2/2009	Wang	.....	D14/356
D588,147 S *	3/2009	Finlayson et al.	.....	D14/480.5
D590,392 S *	4/2009	Wang	.....	D14/356
D592,660 S *	5/2009	Wang	.....	D14/356
D601,561 S *	10/2009	Nunes et al.	.....	D14/358
D602,492 S *	10/2009	Wang	.....	D14/356
2008/0227380 A1 *	9/2008	Hsu et al.	.....	454/184

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Karen E Kearney

(74) *Attorney, Agent, or Firm*—Leong C. Lei

(57) **CLAIM**

The ornamental design for an external storage device case, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an external storage device case showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view illustrating that the USB connector is detached from the case.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8