



US00D618467S

(12) **United States Design Patent**
Hung

(10) **Patent No.:** **US D618,467 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **CREEPER SEAT BASE**

(75) Inventor: **Victor Hung**, Taipei (TW)

(73) Assignee: **Shinn Fu Corporation**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/355,760**

(22) Filed: **Feb. 12, 2010**

(51) **LOC (9) Cl.** **06-01**

(52) **U.S. Cl.** **D6/335**

(58) **Field of Classification Search** D6/335,
D6/336, 340, 364, 367, 491, 495, 500–502;
D34/23; 297/195.1, 195.11, 175, 199, 200
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,832,355	A *	5/1989	Hung		280/32.5
D353,058	S *	12/1994	Dallas		D6/336
D365,935	S *	1/1996	Dallas		D6/336
D381,821	S *	8/1997	Miles		D6/353
D463,143	S *	9/2002	Riddle		D6/336
D531,419	S *	11/2006	Whiteside et al.		D6/352
D608,558	S *	1/2010	Rush		D6/367

* cited by examiner

Primary Examiner—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Lathrop & Gage LLP

(57) **CLAIM**

The ornamental design for a creeper seat base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a creeper seat base showing the new design, in a closed configuration;

FIG. 2 is a side view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 3 is an end view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 4 is another side view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 5 is another end view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 6 is a top view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 7 is a bottom view of the creeper seat base of FIG. 1, in a closed configuration;

FIG. 8 is a perspective view of the creeper seat base of FIG. 1, in an open configuration;

FIG. 9 is a side view of the creeper seat base of FIG. 1, in an open configuration;

FIG. 10 is an end view of the creeper seat base of FIG. 1, in an open configuration;

FIG. 11 is another side view of the creeper seat base of FIG. 1, in an open configuration;


FIG. 12 is another end view of the creeper seat base of FIG. 1, in an open configuration;

FIG. 13 is a top view of the creeper seat base of FIG. 1, in an open configuration; and,

FIG. 14 is a bottom view of the creeper seat base of FIG. 1, in an open configuration.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14