



US00D618539S

(12) **United States Design Patent**
Ruth

(10) **Patent No.:** **US D618,539 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **SLIDER DEVICE DISPLAY PACKAGE UNIT**

7,410,056 B2 * 8/2008 Cafferata et al. 206/471
D593,404 S * 6/2009 Lee D9/415
D605,501 S * 12/2009 Pham et al. D9/425

(75) Inventor: **James R. Ruth**, Miami, FL (US)

(73) Assignee: **TracFone Wireless, Inc.**, Miami, FL (US)

FOREIGN PATENT DOCUMENTS

WO DM/046521 * 1/1999

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/316,816**

Primary Examiner—Catherine Tuttle

(22) Filed: **Nov. 4, 2009**

(74) *Attorney, Agent, or Firm*—Greenberg Traurig, P.A.

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/415**

(58) **Field of Classification Search** D9/715,
D9/721, 722, 414, 415, 416, 418, 420, 425,
D9/426, 434, 435, 436; 206/320, 461–471,
206/775, 776, 781, 782, 562–564, 588–592
See application file for complete search history.

(57) **CLAIM**

The ornamental design for the slider device display package unit, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS


- 3,463,309 A * 8/1969 Szostek 206/470
- 4,804,984 A * 2/1989 Heuer et al. 206/316.2
- D305,408 S * 1/1990 LaJoie D9/415
- D307,554 S * 5/1990 McAlister, Sr. D9/415
- D394,004 S * 5/1998 Tate D9/415
- 5,967,327 A * 10/1999 Jones 206/583
- D466,405 S * 12/2002 Lee D9/415
- D471,442 S * 3/2003 Lee D9/415
- D496,268 S * 9/2004 Stamm et al. D9/415
- D509,727 S * 9/2005 Suckle et al. D9/415
- D517,907 S * 3/2006 Lee et al. D9/415
- D521,860 S * 5/2006 Lee et al. D9/415
- 7,207,440 B2 * 4/2007 Briscoe 206/461
- D541,646 S * 5/2007 Hayes et al. D9/415
- D553,973 S * 10/2007 Geurts et al. D9/415
- 7,353,948 B1 * 4/2008 McDonald 206/471

DESCRIPTION

FIG. 1 is a top front perspective view showing my new design for a slider device display package unit in its assembled state; FIG. 2 is a left side elevational view thereof; FIG. 3 is a front view thereof; FIG. 4 is a top elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear side view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is an opened and exploded perspective view thereof; FIG. 9 is an inverted perspective view showing the opposing sides of the exploded components in FIG. 8; and, FIG. 10 is an opened perspective view showing the outer package and inner tray elements in their assembled state.

The broken lines showing the slider device contained within the display package unit are for illustrative purposes only; and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10