



US00D618573S

(12) **United States Design Patent**
Burcham et al.

(10) **Patent No.:** **US D618,573 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **KNOB RATTLE**

(75) Inventors: **Gregory S. Burcham**, Hartselle, AL (US); **John Woller, Sr.**, Decatur, AL (US)

(73) Assignee: **EBSCO Industries, Inc.**, Birmingham, AL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/340,146**

(22) Filed: **Jul. 14, 2009**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.** **D10/116**

(58) **Field of Classification Search** D10/116-120; 116/137 R; 446/202, 204-206, 26, 421, 446/397; 70/456 R, 459; D8/356; 24/581.1, 24/574.1; 43/1; D21/406, 408, 496

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|----------------|---------|
| 4,610,641 | A | 9/1986 | Allen | |
| 4,850,928 | A | 7/1989 | Stewart | |
| D309,120 | S * | 7/1990 | Stewart | D10/116 |
| 5,334,074 | A | 8/1994 | Suminski | |
| D371,401 | S * | 7/1996 | Nielsen et al. | D21/496 |
| 5,555,664 | A | 9/1996 | Shockley | |
| D376,555 | S * | 12/1996 | Gebhardt | D10/116 |
| 5,988,469 | A | 11/1999 | Musacchia | |
| 6,003,261 | A | 12/1999 | French | |
| 6,234,865 | B1 | 5/2001 | Bathey | |
| 6,289,626 | B1 | 9/2001 | Williams | |

| | | | |
|--------------|----|---------|-----------------|
| 6,328,626 | B1 | 12/2001 | Eubanks |
| 6,902,463 | B2 | 6/2005 | Vaicunas et al. |
| 7,281,966 | B2 | 10/2007 | McQueen |
| 2004/0244152 | A1 | 12/2004 | Place |
| 2008/0318488 | A1 | 12/2008 | Castner |

OTHER PUBLICATIONS

Knight & Hale Rack Attack, retrieved from the internet on the Sportsman's Zone web page: www.sportsmanszone.com/store-products-2545-Knight--Hale-Rack-Attach_3129914.

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Smith Gambrell & Russell LLP

(57) **CLAIM**

The ornamental design for a knob rattle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the rattle;

FIG. 2 is a bottom perspective view of the rattle;



FIG. 3 is a top plan view of the rattle;

FIG. 4 is a bottom view of the rattle;

FIG. 5 is a front elevational view of the rattle, the front elevational view of the rattle being a mirror image of a rear elevational view of the rattle; and,

FIG. 6 is a first side elevational view of the rattle, the first side elevational view of the rattle being a mirror image of a second side elevational view of the rattle.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6