



US00D618613S

(12) **United States Design Patent**
Vandaele et al.

(10) **Patent No.:** **US D618,613 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **PNEUMATIC TIRE**
(75) Inventors: **Mathieu Vandaele**,
Charbonnieres-les-Vareennes (FR); **Eric**
Lebreton, Clermont-Ferrand (FR)
(73) Assignee: **Michelin-Recherche et Technique S.A.**,
Granges-Paccot (CH)
(**) Term: **14 Years**
(21) Appl. No.: **29/311,377**
(22) Filed: **Mar. 4, 2009**
(30) **Foreign Application Priority Data**
Sep. 4, 2008 (FR) 08 3910

D493,415 S 7/2004 Noailly
D512,370 S 12/2005 Pang
D514,504 S 2/2006 Robert
D531,571 S * 11/2006 Suzuki D12/579
D537,032 S * 2/2007 Lebreton D12/600
D537,407 S * 2/2007 Dumigan et al. D12/579
D537,773 S * 3/2007 Motta et al. D12/587
D557,654 S * 12/2007 Yamaguchi D12/579
D559,773 S * 1/2008 Campana D12/579
D570,767 S * 6/2008 Miyazaki et al. D12/579
D589,433 S * 3/2009 Yamane et al. D12/550
D589,436 S * 3/2009 Beha et al. D12/579
D601,082 S * 9/2009 Cazin-Bourguignon et al. . D12/
583
D604,227 S * 11/2009 Bonko et al. D12/579
D606,005 S * 12/2009 Cerny D12/544

(51) **LOC (9) Cl.** **12-15**
(52) **U.S. Cl.** **D12/600**
(58) **Field of Classification Search** D12/503,
D12/505, 533, 534, 535, 536, 537, 543, 547,
D12/548, 549, 550, 564, 565, 566, 567, 568,
D12/569-572, 579, 583-588, 594, 595, 596,
D12/597, 598, 599, 600-604; 152/209.1,
152/209.8, 209.9, 209.18, 209.25, 209.28
See application file for complete search history.

* cited by examiner

Primary Examiner—Caron Veynar
Assistant Examiner—Katrina A Kile
(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll &
Rooney PC

(56) **References Cited**
U.S. PATENT DOCUMENTS
D283,502 S 4/1986 Hinkel
D300,017 S 2/1989 Cottrell
D315,126 S 3/1991 Baus
D326,071 S 5/1992 Enoki et al.
D344,048 S 2/1994 Loser
D368,245 S 3/1996 Miyazaki
D379,789 S 6/1997 Schuster et al.
D384,011 S 9/1997 Kawamata et al.
D384,608 S 10/1997 Schuster
D395,414 S 6/1998 Grosskopf et al.

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a pneumatic tire showing our new design, the rear elevational view being of identical appearance.
FIG. 2 is a front perspective view of the pneumatic tire shown in FIG. 1.
FIG. 3 is an elevational view of one side of the pneumatic tire shown in FIG. 1, the opposite side being of identical appearance; and,
FIG. 4 is an enlarged fragmentary view of FIG. 1.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4

