US00D618613S

(12) United States Design Patent

Vandaele et al.

(10) Patent No.: US D618,613 S
(45) Date of Patent: ** Jun. 29, 2010

(54) **PNEUMATIC TIRE**

(75) Inventors: **Mathieu Vandaele**, Charbonnieres-les-Varennes (FR); **Eric Lebreton**, Clermont-Ferrand (FR)

(73) Assignee: **Michelin-Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/311,377**

(22) Filed: **Mar. 4, 2009**

(30) **Foreign Application Priority Data**

Sep. 4, 2008 (FR) 08 3910

(51) **LOC (9) Cl.** **12-15**
(52) **U.S. Cl.** **D12/600**
(58) **Field of Classification Search** D12/503, D12/505, 533, 534, 535, 536, 537, 543, 547, D12/548, 549, 550, 564, 565, 566, 567, 568, D12/569–572, 579, 583–588, 594, 595, 596, D12/597, 598, 599, 600–604; 152/209.1, 152/209.8, 209.9, 209.18, 209.25, 209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D283,502	S		4/1986	Hinkel	
D300,017	S		2/1989	Cottrell	
D315,126	S		3/1991	Baus	
D326,071	S		5/1992	Enoki et al.	
D344,048	S		2/1994	Loser	
D368,245	S		3/1996	Miyazaki	
D379,789	S		6/1997	Schuster et al.	
D384,011	S		9/1997	Kawamata et al.	
D384,608	S		10/1997	Schuster	
D395,414	S		6/1998	Grosskopf et al.	
D493,415	S		7/2004	Noailly	
D512,370	S		12/2005	Pang	
D514,504	S		2/2006	Robert	
D531,571	S	*	11/2006	Suzuki	D12/579
D537,032	S	*	2/2007	Lebreton	D12/600
D537,407	S	*	2/2007	Dumigan et al.	D12/579
D537,773	S	*	3/2007	Motta et al.	D12/587
D557,654	S	*	12/2007	Yamaguchi	D12/579
D559,773	S	*	1/2008	Campana	D12/579
D570,767	S	*	6/2008	Miyazaki et al.	D12/579
D589,433	S	*	3/2009	Yamane et al.	D12/550
D589,436	S	*	3/2009	Beha et al.	D12/579
D601,082	S	*	9/2009	Cazin-Bourguignon et al.	D12/583
D604,227	S	*	11/2009	Bonko et al.	D12/579
D606,005	S	*	12/2009	Cerny	D12/544

* cited by examiner

Primary Examiner—Caron Veynar
Assistant Examiner—Katrina A Kile
(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

DESCRIPTION

FIG. **1** is a front elevational view of a pneumatic tire showing our new design, the rear elevational view being of identical appearance.

FIG. **2** is a front perspective view of the pneumatic tire shown in FIG. **1**.

FIG. **3** is an elevational view of one side of the pneumatic tire shown in FIG. **1**, the opposite side being of identical appearance; and,

FIG. **4** is an enlarged fragmentary view of FIG. **1**.

1 Claim, 4 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4