



US00D618614S

(12) **United States Design Patent**
Symons

(10) **Patent No.:** **US D618,614 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **APPARATUS FOR HOLDING AND RECHARGING PERSONAL ELECTRONIC DEVICES AND MOBILE PHONES**

(75) Inventor: **Dominic Symons**, Pasadena, CA (US)

(73) Assignee: **Blue Lounge Design, LLC**, Pasadena, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,274**

(22) Filed: **Nov. 8, 2007**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/107–110,
D13/118–119, 184, 199; D14/251, 253,
D14/432, 434; 320/107–115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D262,104 S	*	12/1981	Simpson	D13/119
D408,406 S	*	4/1999	Shindo	D14/149
D408,418 S	*	4/1999	Pescetto et al.	D14/253

(Continued)

Primary Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Law Office of David Hong

(57) **CLAIM**

The ornamental design for an apparatus for holding and recharging personal electronic devices and mobile phones, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the charging adapters and the power cord adapters are in dotted lines.

FIG. 2 is a bottom plan view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the power cord adapter is in dotted lines.

FIG. 3 is a side view of an apparatus for holding and recharging personal electronic devices and mobile phones.

FIG. 4 is another side view of an apparatus for holding and recharging personal electronic devices and mobile phones.

FIG. 5 is yet another side view of an apparatus for holding and recharging personal electronic devices and mobile phones.

FIG. 6 is a rear side view of an apparatus for holding and recharging personal electronic devices and mobile phones.

FIG. 7 is a perspective view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the three charging adapters and the power cord adapters are in dotted lines.

FIG. 8 is another perspective view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the three charging adapters and the power cord adapters are in dotted lines.


FIG. 9 is a bottom perspective view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the power cord adapters is in dotted lines.

FIG. 10 is an exploded view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the charging adapters and the power cord adapters are in dotted lines and that removing the access panel reveals the internal structure of the apparatus; and,

FIG. 11 is another exploded view of an apparatus for holding and recharging personal electronic devices and mobile phones. Note that the charging adapters and the power cord adapters are in dotted lines and that removing the access panel reveals the internal structure of the apparatus.

The broken lines showing the power cord adapters, charging adapters and cords in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D618,614 S

Page 2

U.S. PATENT DOCUMENTS

D417,189 S	*	11/1999	Amero et al.	D13/107	D484,095 S	*	12/2003	Stacey	D13/110
D428,387 S	*	7/2000	Malloy et al.	D13/107	D548,178 S	*	8/2007	Suk et al.	D13/108
D433,996 S	*	11/2000	Ma	D13/110	D561,762 S	*	2/2008	Mori	D14/434
D443,247 S	*	6/2001	Chuan et al.	D13/107	D564,960 S	*	3/2008	Sacco et al.	D13/107
						D574,769 S	*	8/2008	Fisher et al.	D13/108

* cited by examiner




FIG.1




Fig. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




Fig.8




FIG. 9




FIG.10




Fig. 11