



US00D618644S

(12) **United States Design Patent**  
**Graham et al.**

(10) **Patent No.:** **US D618,644 S**  
(45) **Date of Patent:** **\*\* Jun. 29, 2010**

(54) **TELEPRESENCE DISPLAY**

(75) Inventors: **Philip R. Graham**, Milpitas, CA (US);  
**Richard T. Wales**, Sunnyvale, CA (US);  
**Ashok T. Desai**, Fremont, CA (US);  
**Randy K. Harrell**, Los Gatos, CA (US);  
**Marthinus F. De Beer**, Los Gatos, CA (US)

(73) Assignee: **Cisco Technology, Inc.**, San Jose, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/335,940**

(22) Filed: **Apr. 24, 2009**

**Related U.S. Application Data**

(63) Continuation of application No. 11/483,795, filed on Jul. 10, 2006.

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/127**

(58) **Field of Classification Search** ..... D14/125-134,  
D14/239, 371, 136, 374-377, 440, 450, 448,  
D14/336, 342; 312/7.2; 348/836, 838, 180,  
348/184, 325, 739; 341/12; 248/917-924,  
248/465; 345/104, 133, 156, 168, 87, 173;  
720/605, 669, 600, 655; 369/99, 197; 455/344,  
455/347; D21/329, 515, 577, 622, 333, 433,  
D21/448, 452, 450, 331; D6/477, 479, 300;  
273/148 B; 446/484, 175, 356; D10/15,  
D10/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,229	S	*	10/1993	Drabczyk et al.	.....	D14/306
D346,605	S	*	5/1994	Bosson	.....	D14/239
D440,543	S	*	4/2001	Kodimer	.....	D14/127
D448,024	S	*	9/2001	Kim	.....	D14/337
D453,157	S	*	1/2002	Kim	.....	D14/337
6,771,303	B2	*	8/2004	Zhang et al.	.....	348/14.16
D499,704	S	*	12/2004	Song	.....	D14/127
6,844,865	B2	*	1/2005	Stasko	.....	345/1.3
7,061,754	B2	*	6/2006	Moscovitch	.....	248/917
D579,888	S	*	11/2008	Lunde et al.	.....	D14/127
D581,380	S	*	11/2008	Derocher et al.	.....	D14/127
D585,857	S	*	2/2009	Monson et al.	.....	D14/127
D593,977	S	*	6/2009	Derocher et al.	.....	D14/127

\* cited by examiner

*Primary Examiner*—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(57) **CLAIM**

The ornamental design for a telepresence display, as shown.


**DESCRIPTION**

FIG. 1 is a perspective view of the telepresence display showing our new design in relation with telepresence equipment; and,

FIG. 2 is an overhead view thereof.

The FIGURES are shown with the telepresence display as used in the environment. Broken lines are directed to environment and are for illustrative purposes only.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2