



US00D618825S

(12) **United States Design Patent**
Johnson

(10) **Patent No.:** **US D618,825 S**
(45) **Date of Patent:** **** Jun. 29, 2010**

(54) **HOLLOW METAL DOORFRAME SNAP-IN
GROUT STRIP**

6,286,285 B1 * 9/2001 Martell 52/712
6,389,778 B1 * 5/2002 Strange 52/745.19

(76) Inventor: **Phillip A. Johnson**, 388 Collier Ridge
Dr., NW., Atlanta, GA (US) 30318

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Rodgers & Rodgers

(**) Term: **14 Years**

(21) Appl. No.: **29/348,564**

(57) **CLAIM**

(22) Filed: **Jan. 20, 2010**

The ornamental design for a hollow metal doorframe snap-in
grout strip, as shown and described.

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/164**

(58) **Field of Classification Search** D25/164,
D25/60; 52/716.1, 716.8, 718.01, 733.2,
52/831, 742.16, 656.1; 49/147, 489.1, 507,
49/469

DESCRIPTION

See application file for complete search history.

FIG. 1 is a perspective view of a hollow metal doorframe
snap-in grout strip showing my new design;

FIG. 2 is a left-side elevational view thereof, the right side
being a mirror image thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,


FIG. 6 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D373,205 S * 8/1996 Caley D25/164
5,732,450 A * 3/1998 Quah et al. 24/297

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6