



US00D618855S

(12) **United States Design Patent**  
**Messina**

(10) **Patent No.:** **US D618,855 S**  
(45) **Date of Patent:** **\*\* Jun. 29, 2010**

(54) **KINETIC INTERVENTION DEVICE**

(76) Inventor: **Philip Messina**, c/o Modern Warriors  
Inc., 711 N. Wellwood Ave., Lindenhurst,  
NY (US) 11757

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/327,816**

(22) Filed: **Nov. 13, 2008**

(51) **LOC (9) Cl.** ..... **09-03**

(52) **U.S. Cl.** ..... **D29/100**

(58) **Field of Classification Search** ..... D29/10,  
D29/11-16, 20, 21, 26, 29, 30, 33; 463/47.7;  
135/65, 68, 72, 74, 75; 15/144.4; 273/84 R,  
273/84 ES; 285/302; 473/48, 283; 343/901;  
403/377; D22/117, 118, 199; D26/37, 38,  
D26/39, 40, 41, 42, 43, 44, 45-50; 224/914;  
362/102; D3/5, 6, 7, 8, 9, 10, 11, 12, 13,  
D3/14, 15, 16, 17; 231/3

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

815,458	A *	3/1906	Morris	.....	231/3
918,557	A *	4/1909	Keepert	.....	231/3
5,348,297	A *	9/1994	Parsons	.....	463/47.7
5,568,922	A *	10/1996	Siddle	.....	463/47.7
5,690,552	A *	11/1997	Siddle	.....	463/47.7
5,971,823	A	10/1999	Sanso		
D418,617	S *	1/2000	Parsons	.....	D26/46
6,089,449	A	7/2000	Butterworth		
6,482,058	B2	11/2002	Sanso et al.		
D483,432	S *	12/2003	Parsons	.....	D22/117
D520,733	S *	5/2006	Siteman	.....	D22/117

7,044,858	B1	5/2006	Otto et al.		
D532,859	S *	11/2006	Stethem	.....	D22/117
2007/0117688	A1	5/2007	Sewitch, Jr. et al.		

\* cited by examiner

*Primary Examiner*—Susan Bennett Hattan

*Assistant Examiner*—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Carter, DeLuca, Farrell &  
Schmidt, LLP

(57) **CLAIM**

The ornamental design for a kinetic intervention device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a kinetic intervention device in accordance with an embodiment of the present design;

FIG. 2 is a front elevation view of the kinetic intervention device of FIG. 1;

FIG. 3 is a rear elevation view front elevation view of the kinetic intervention device of FIGS. 1 and 2;

FIG. 4 is a top plan view of the kinetic intervention device of FIGS. 1-3;

FIG. 5 is a bottom plan view of the kinetic intervention device of FIGS. 1-4;


FIG. 6 is a right side elevational view of the kinetic intervention device of FIGS. 1-5;


FIG. 7 is a left side elevational view of the kinetic intervention device of FIGS. 1-6; and,

FIG. 8 is a plan view of the kinetic intervention device of FIGS. 1-7 shown in a twisted configuration.


In FIGS. 1-8, the features of the kinetic intervention device shown in broken lines represent a strap for environmental purposes only and do not constitute a part of the claimed design.

**1 Claim, 3 Drawing Sheets**






**FIG. 1**



**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**