



US00D619064S

(12) **United States Design Patent**
Tuthill

(10) **Patent No.:** **US D619,064 S**
(45) **Date of Patent:** **** Jul. 6, 2010**

(54) **BRAKE MAGNET**

(75) Inventor: **James C. Tuthill**, Elkhart, IN (US)

(73) Assignee: **Dexter Axle Company**, Elkhart, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/316,457**

(22) Filed: **Sep. 29, 2009**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/180**

(58) **Field of Classification Search** D12/180;
188/71.1, 73.3, 73.31-73.39, 72.2, 72.4,
188/73.41-73.46, 218 XL, 370, 1.11 W, 264 A,
188/264 AA, 18 A; 192/169.2, 169.3, 107 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,178,235 A * 1/1993 Montalvo, III et al. 188/18 A
D490,034 S * 5/2004 MacDonald et al. D12/180

* cited by examiner

Primary Examiner—Melody N Brown

(74) *Attorney, Agent, or Firm*—J. A. Thurnau, Esq.; J. L. Mahurin, Esq.; P. N. Dunlap, Esq.

(57) **CLAIM**

The ornamental design for a brake magnet, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a brake magnet showing my new design;

FIG. 2 is a bottom plan view;

FIG. 3 is a side elevation view;


FIG. 4 is an end elevation view;

FIG. 5 is an opposite end elevation view; and,

FIG. 6 is a top perspective view.

The portions of the magnet shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6