



US00D619092S

(12) **United States Design Patent**  
**Eilertsen et al.**

(10) **Patent No.:** **US D619,092 S**  
(45) **Date of Patent:** **\*\* Jul. 6, 2010**

(54) **TERMINAL CONNECTOR**

(75) Inventors: **Thor E. Eilertsen**, Oneonta, NY (US);  
**Chad Hall**, Walton, NY (US); **Daniel A. Patsos**, Otego, NY (US)

(73) Assignee: **Ioxus, Inc.**, Oneonta, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/350,112**

(22) Filed: **Nov. 11, 2009**

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/120**

(58) **Field of Classification Search** ..... D13/103–106,  
D13/118–121, 133, 154, 146–147, 184, 199;  
439/83, 108, 166, 217, 500, 577, 630, 660,  
439/680, 700, 773.1, 754, 756, 774, 797,  
439/862, 884, 907, 908; 429/96–100, 163,  
429/186; 174/60, 176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D252,990 S *	9/1979	Gietzen	.....	D13/120
D329,639 S	9/1992	Arvanitakis et al.		
D374,863 S *	10/1996	Grande	.....	D13/146
D379,969 S *	6/1997	Tan	.....	D13/147
D401,901 S	12/1998	Bunyea et al.		
D413,858 S *	9/1999	Murakami et al.	.....	D13/103
D446,771 S	8/2001	Bosatelli		
D447,117 S	8/2001	Ko		
D471,515 S	3/2003	Kasahara et al.		
D471,862 S	3/2003	Kasahara et al.		
D471,864 S	3/2003	Katsumoto et al.		
D472,207 S	3/2003	Kasahara et al.		
D472,209 S *	3/2003	Wada et al.	.....	D13/120
D472,210 S *	3/2003	Tada et al.	.....	D13/120
D476,293 S *	6/2003	Tada et al.	.....	D13/103
D476,294 S *	6/2003	Tada et al.	.....	D13/103
D476,616 S	7/2003	Kasahara et al.		
D476,617 S	7/2003	Kasahara et al.		
D476,619 S	7/2003	Katsumoto et al.		

D476,620 S *	7/2003	Tada et al.	.....	D13/103
D476,947 S	7/2003	Kasahara et al.		
D477,276 S	7/2003	Katsumoto et al.		
D486,445 S	2/2004	Kasahara et al.		
6,790,076 B1 *	9/2004	Patterson	.....	439/500
D511,747 S	11/2005	Rey et al.		
D513,606 S	1/2006	Yamane		
D523,401 S	6/2006	Wang		

(Continued)

*Primary Examiner*—Rosemary K Tarca  
(74) *Attorney, Agent, or Firm*—Cooley LLP

(57) **CLAIM**

The ornamental design for a terminal connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side perspective view of the terminal connector;

FIG. 2 is a left side perspective view of the terminal connector illustrated in FIG. 1;

FIG. 3 is a front end view of the terminal connector illustrated in FIG. 1;


FIG. 4 is a rear end view of the terminal connector illustrated in FIG. 1;

FIG. 5 is a right side view of the terminal connector illustrated in FIG. 1, the left side view being a mirror image thereof; and,

FIG. 6 is a top view of the terminal connector illustrated in FIG. 1, the bottom view being a mirror image thereof.

The portions of the device depicted in broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D619,092 S

Page 2

---

## U.S. PATENT DOCUMENTS

D534,494 S *	1/2007	Li .....	D13/133	D558,678 S	1/2008	Han et al.	
D535,619 S	1/2007	Nagata		D575,741 S *	8/2008	Yamane .....	D13/133
D539,216 S *	3/2007	Hamaguchi .....	D13/103	D576,952 S *	9/2008	Hung .....	D13/133
D549,658 S *	8/2007	Asai et al. ....	D13/147	D601,092 S	9/2009	Rupp et al.	

\* cited by examiner




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6