



US00D619194S

(12) **United States Design Patent**
Köhler

(10) **Patent No.:** **US D619,194 S**
(45) **Date of Patent:** **** Jul. 6, 2010**

(54) **CAP FOR PROGRAMMING A SIGHTING DEVICE**

(75) Inventor: **Albrecht Köhler**, Jena (DE)
(73) Assignee: **Analytik Jena AG**, Jena (DE)
(**) Term: **14 Years**

(21) Appl. No.: **29/334,183**

(22) Filed: **Mar. 22, 2009**

(30) **Foreign Application Priority Data**

Sep. 29, 2008 (EM) 001011563-0002

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/109**

(58) **Field of Classification Search** D22/108-110,
D22/199; D16/132, 130, 133, 330, 134;
359/399, 823, 744; 42/111, 133, 119, 122
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,327,806 B1 * 12/2001 Paige 42/113

* cited by examiner

Primary Examiner—T. Chase Nelson
Assistant Examiner—Michael A Pratt
(74) *Attorney, Agent, or Firm*—Smartpat PLC; Axel Nix

(57) **CLAIM**

I claim the ornamental design for a cap for programming a sighting device, as shown and described.

DESCRIPTION

FIG. 1 is a right side view of a cap for programming a sighting device showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a perspective top, front, and left side view thereof; and,

FIG. 6 is a perspective top, rear, and right side view thereof.

The broken line showing of two attachment ribs is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

