



US00D619266S

(12) **United States Design Patent**
Sakai

(10) **Patent No.:** **US D619,266 S**
(45) **Date of Patent:** **** Jul. 6, 2010**

(54) **ULTRASONIC PROBE**

(75) Inventor: **Mayuka Sakai**, Kyoto (JP)

(73) Assignee: **Shimadzu Corporation**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/329,999**

(22) Filed: **Dec. 24, 2008**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/186**

(58) **Field of Classification Search** D24/107,
D24/138, 144, 142, 158, 164, 165, 167, 170,
D24/186–187, 200, 231; D10/57, 60, 78,
D10/80; 600/407, 461, 459, 447, 439, 446;
378/98.7, 98.8, 189

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,376 S * 4/1991 Dubut D10/60
D328,495 S * 8/1992 Ungari D24/187
D389,918 S * 1/1998 Ninomiya et al. D24/186
D390,959 S * 2/1998 Mesaros et al. D24/186
D392,044 S * 3/1998 Mesaros et al. D24/186
D462,446 S * 9/2002 Felix et al. D24/187

D467,002 S * 12/2002 Felix et al. D24/187
D550,365 S * 9/2007 Kitayama D24/186
D555,252 S * 11/2007 Kitayama et al. D24/186

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Mark Cavanna

(74) *Attorney, Agent, or Firm*—J.C. Patents

(57) **CLAIM**

The ornamental design for an ultrasonic probe, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ultrasonic probe showing my new design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D619,266 S
APPLICATION NO. : 29/329999
DATED : July 6, 2010
INVENTOR(S) : Mayuka Sakai

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page: please add item (30) Foreign Application Priority Data as
-- September 10, 2008, Japan, 2008-023265 --

Signed and Sealed this
Twenty-fourth Day of January, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D" and a stylized "K".

David J. Kappos
Director of the United States Patent and Trademark Office