

US00D619480S

(12) **United States Design Patent**
Kesler et al.

(10) **Patent No.:** **US D619,480 S**
(45) **Date of Patent:** **** Jul. 13, 2010**

(54) **POINT SENSOR**

7,671,351 B2 * 3/2010 Setlak et al. 250/556

* cited by examiner

(75) Inventors: **James R. Kesler**, Pullman, WA (US);
Douglas M. Trout, Pullman, WA (US)

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Richard M. Edge

(73) Assignee: **Schweitzer Engineering Laboratories, Inc.**, Pullman, WA (US)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for a point sensor, substantially as shown and described.

(21) Appl. No.: **29/343,743**

(22) Filed: **Sep. 18, 2009**

DESCRIPTION

FIG. 1 is a front elevation view of a point sensor;

FIG. 2 is a back elevation view thereof;

FIG. 3 is a left-side view thereof;

FIG. 4 is a right-side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a perspective view thereof; and,

FIG. 8 is a perspective view thereof.

The portions of the drawings shown in broken lines form no part of the claimed design.

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/47**

(58) **Field of Classification Search** D10/47;

250/214.1, 216, 241 R, 208.1, 241 AG; 372/22,

372/26; 398/183, 187, 202, 204, 207; 702/75–77,

702/79, 126, 127, 189, 190, 197; 708/400–409

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D458,157 S * 6/2002 Susal D10/47

7,323,673 B1 * 1/2008 Ake et al. 250/214 R

1 Claim, 4 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8