



US00D619938S

(12) **United States Design Patent**  
**McCarthy**

(10) **Patent No.:** **US D619,938 S**

(45) **Date of Patent:** **\*\* Jul. 20, 2010**

(54) **TRAY**

D339,772 S 9/1993 Hu  
D346,516 S \* 5/1994 D'Anna et al. .... D6/511

(76) Inventor: **Alice McCarthy**, 10 Vale St., Salem,  
MA (US) 01970

(Continued)

(\*\*) Term: **14 Years**

*Primary Examiner*—Ian Simmons  
*Assistant Examiner*—Charles D Hanson

(21) Appl. No.: **29/297,594**

(74) *Attorney, Agent, or Firm*—Antoinette G. Giugliano, PC

(22) Filed: **Nov. 14, 2007**

(57) **CLAIM**

(51) **LOC (9) Cl.** ..... **12-12**

The ornamental design for a tray, as shown and described.

(52) **U.S. Cl.** ..... **D12/133; D6/396**

**DESCRIPTION**

(58) **Field of Classification Search** .... D6/406.1-406.6,  
D6/421, 422; D3/274; D19/91; 108/43,  
108/115; 434/432; D12/130, 133

FIG. 1 is a perspective view of the tray along with the walker with which it is used.

See application file for complete search history.

FIG. 2 is a back view of the tray of the present invention.

FIG. 3 is a front view of the tray of the present invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 4 is a side view of the tray of the present invention.

FIG. 5 is another side view of the tray of the present invention.

FIG. 6 is a top view of the tray of the present invention; and,


FIG. 7 is a bottom view of the tray of the present invention.

2,430,235	A	11/1947	Mendenhall	
2,647,716	A *	8/1953	Hudziak et al. ....	248/231.81
3,163,287	A	12/1964	Barnett	
D204,998	S *	6/1966	Klein .....	D12/425
3,957,071	A	5/1976	Kenner	
4,074,683	A	2/1978	Di Chiara	
4,212,493	A	7/1980	Ledesky	
D269,223	S	6/1983	Freeman	
4,449,750	A	5/1984	Pultman	
4,659,099	A	4/1987	Malone	
4,708,274	A	11/1987	Roche	
D300,496	S	4/1989	Childress	
D305,015	S	12/1989	Roche	
D308,497	S	6/1990	Roche	
D309,684	S	8/1990	Kohler	
4,946,058	A	8/1990	Stamm	
D329,030	S	9/1992	Myers	
D329,835	S	9/1992	Scheinrock	
5,170,810	A	12/1992	Chapin	
5,217,032	A *	6/1993	Jobst .....	135/67

The tray is designed so that it rests on the support members of the walker when the tray is in use. The tray folds up using a strap with hook and loops fastener. The strap wraps around the cross bar of the walker and the hook and loops fastener is engaged to hold the tray in an upright position for storage. The tray does not need to be attached and reattached to the walker in order to use the tray. Rather, the tray folds up when the walker is in use. Additionally, the design of the tray allows the walker's legs to be folded inward for storage, when the tray is folded upright.

The broken lines shown in the figures are included for the purposes of illustration and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D619,938 S

Page 2

---

## U.S. PATENT DOCUMENTS

D353,123 S	12/1994	Korona		D423,290 S	4/2000	Green	
5,392,802 A	2/1995	Farr et al.		D445,143 S	7/2001	Bellows	
D356,532 S *	3/1995	Butzman .....	D12/133	6,296,263 B1	10/2001	Schultz et al.	
D363,051 S	10/1995	Lanzillo		6,371,142 B1	4/2002	Battiston	
5,642,748 A	7/1997	Obitts		6,817,372 B2	11/2004	Ennals et al.	
5,694,959 A	12/1997	Hiller et al.		6,883,529 B2	4/2005	Kvaternik	
5,716,063 A	2/1998	Doyle et al.		D510,481 S	10/2005	Hodgson	
				D527,953 S *	9/2006	Le Gal .....	D7/552.1

\* cited by examiner






FIG. 1



**FIG. 2**



**FIG. 3**




FIG. 4




FIG. 5




FIG. 6




FIG. 7