



US00D619940S

(12) **United States Design Patent**  
**Strang**

(10) **Patent No.:** **US D619,940 S**  
(45) **Date of Patent:** **\*\* Jul. 20, 2010**

(54) **WHEEL SPACER**

(75) Inventor: **Robert William Alistair Strang**, North Melbourne (AU)

(73) Assignee: **A.R.C. Strang Australia Pty Ltd**, North Melbourne (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/314,682**

(22) Filed: **Apr. 16, 2009**

(30) **Foreign Application Priority Data**

Oct. 17, 2008 (AU) ..... 15019/2008

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/159**

(58) **Field of Classification Search** ..... D12/159,  
D12/160; D8/349–352, 354, 382, 393  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,214,792	A *	7/1980	Hardwicke et al.	.....	301/36.1
4,719,853	A *	1/1988	Bowers	.....	101/110
4,818,031	A *	4/1989	Brown	.....	301/36.1
D396,436	S *	7/1998	Liska	.....	D12/123
D437,411	S *	2/2001	Maeji et al.	.....	D24/130
D445,077	S *	7/2001	Lovitt, Jr.	.....	D12/207
D445,502	S *	7/2001	Maeji et al.	.....	D24/130
2004/0083980	A1 *	5/2004	Harding	.....	119/60
2008/0088175	A1 *	4/2008	Hermansen et al.	.....	301/56

FOREIGN PATENT DOCUMENTS

WO WO 9401319 A1 \* 1/1994

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Michael A Pratt

(74) *Attorney, Agent, or Firm*—Seed Intellectual Property Law Group PLLC

(57) **CLAIM**

The ornamental design for a wheel spacer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the wheel spacer from a first end.

FIG. 2 is a perspective view of the wheel spacer from a second end.

FIG. 3 is a front elevational view thereof.

FIG. 4 is a rear elevational view thereof.

FIG. 5 is a left side elevational view thereof.

FIG. 6 is a right side elevational view thereof.

FIG. 7 is a top plan view thereof.

FIG. 8 is a bottom plan view thereof.

FIG. 9 is a perspective view of an alternative embodiment of the wheel spacer from a first end.

FIG. 10 is a perspective view of an alternative embodiment of the wheel spacer from a second end.

FIG. 11 is a front elevational view thereof.

FIG. 12 is a rear elevational view thereof.

FIG. 13 is a left side elevational view thereof.

FIG. 14 is a right side elevational view thereof.

FIG. 15 is a top plan view thereof.

FIG. 16 is a bottom plan view thereof.

FIG. 17 is a perspective view of a second alternative embodiment of the wheel spacer from a first end.

FIG. 18 is a perspective view of a second alternative embodiment of the wheel spacer from a second end.

FIG. 19 is a front elevational view thereof.

FIG. 20 is a rear elevational view thereof.

FIG. 21 is a left side elevational view thereof.


FIG. 22 is a right side elevational view thereof.

FIG. 23 is a top plan view thereof; and,

FIG. 24 is a bottom plan view thereof.

The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**






FIGURE 1







FIGURE 2




**FIGURE 3**




**FIGURE 4**




**FIGURE 5**



**FIGURE 6**



**FIGURE 7**



**FIGURE 8**




FIGURE 9







FIGURE 10




**FIGURE 11**




**FIGURE 12**




**FIGURE 13**



**FIGURE 14**



**FIGURE 15**



**FIGURE 16**




FIGURE 17






FIGURE 18







**FIGURE 19**




**FIGURE 20**




**FIGURE 21**



**FIGURE 22**



**FIGURE 23**



**FIGURE 24**