



US00D620136S

(12) **United States Design Patent**  
**Vaes et al.**

(10) **Patent No.:** **US D620,136 S**

(45) **Date of Patent:** **\*\* Jul. 20, 2010**

(54) **TWO SIDED CROWN MOLDING**

(75) Inventors: **Ed Vaes**, Stoney Creek (CA); **John Charette**, Stoney Creek (CA)

(73) Assignee: **Flip Face Inc.**, Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/330,580**

(22) Filed: **Jan. 9, 2009**

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/136**

(58) **Field of Classification Search** ..... D25/119,  
D25/136, 125, 157, 123, 102; D6/495, 300;  
D8/98; D15/139; 16/16; 144/367; 52/312,  
52/456, 288.1, 179; 49/471

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D3,773	S	*	11/1869	Sage et al.	.....	D25/119
D5,176	S	*	8/1871	Ferreira	.....	D25/119
347,361	A	*	8/1886	Mankey	.....	144/367
351,116	A	*	10/1886	Mankey	.....	52/312
D28,863	S	*	6/1898	Baker	.....	D25/119
D28,865	S	*	6/1898	Baker	.....	D25/119
D35,006	S	*	8/1901	White	.....	D23/411
1,655,589	A	*	1/1928	Beldam	.....	277/530
1,984,134	A	*	12/1934	Himmel et al.	.....	428/595
D195,025	S	*	4/1963	Jefferson	.....	D25/163
D222,691	S	*	12/1971	Lindal	.....	D25/119
D239,493	S	*	4/1976	Vihma	.....	D25/119
D256,619	S	*	8/1980	Vihma	.....	D25/119
D258,766	S	*	3/1981	Gold	.....	D25/119
D309,343	S	*	7/1990	Koza et al.	.....	D23/269
D336,712	S	*	6/1993	Ledingham	.....	D34/29
D344,807	S	*	3/1994	Abbatichio	.....	D25/38
D360,039	S	*	7/1995	Stagl	.....	D25/122
D388,569	S	*	12/1997	Israel	.....	D32/41
D388,884	S	*	1/1998	Karnoski	.....	D25/102
D419,692	S	*	1/2000	Ancel	.....	D25/119
D486,247	S	*	2/2004	Eichner et al.	.....	D25/119
D499,816	S	*	12/2004	Eichner et al.	.....	D25/119

D500,866	S	*	1/2005	Bourque et al.	.....	D25/121
D500,869	S	*	1/2005	Glatz	.....	D25/136
D529,632	S	*	10/2006	Folliard	.....	D25/119
D548,907	S	*	8/2007	Killen	.....	D32/41
D557,432	S	*	12/2007	Smith	.....	D25/136

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Jansson Shupe & Munger Ltd.

(57) **CLAIM**

The ornamental design for a two sided crown molding, as shown and described.

**DESCRIPTION**

FIG. 1 is an end elevation view of a two sided crown molding also shown in FIGS. 2 and 3.

FIG. 2 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 3 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 4 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 5 and 6.

FIG. 5 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 6 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 7 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 8 and 9.

FIG. 8 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 9 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 10 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 11 and 12.

FIG. 11 is a fragmentary front side isometric view of the two sided crown molding.




FIG. 12 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 13 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 14 and 15.

FIG. 14 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 15 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 16 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 17 and 18.

FIG. 17 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 18 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 19 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 20 and 21.

FIG. 20 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 21 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 22 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 23 and 24.

FIG. 23 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 24 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 25 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 26 and 27.

FIG. 26 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 27 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 28 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 29 and 30.

FIG. 29 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 30 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 31 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 32 and 33.

FIG. 32 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 33 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 34 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 35 and 36.

FIG. 35 is a fragmentary front side isometric view of the two sided crown molding; and,

FIG. 36 is a fragmentary back side isometric view of the two sided crown molding.

The claimed design is broken on the end to indicate indeterminate length.

**1 Claim, 12 Drawing Sheets**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6








FIG.-10




FIG.-11




FIG.-12




FIG. 13




FIG. 14





FIG. 15









FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23





FIG. 24








FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32





FIG. 33






FIG. 34




FIG. 35




FIG. 36

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**


PATENT NO. : D620,136 S  
APPLICATION NO. : 29/330580  
DATED : July 20, 2010  
INVENTOR(S) : Ed Vaes et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Drawings

The drawing Fig. 7 on sheet 3 of 12 should be deleted and replaced with the drawing Fig. 7 as shown below.



Signed and Sealed this  
Tenth Day of May, 2011



David J. Kappos  
*Director of the United States Patent and Trademark Office*