



US00D620136S

(12) **United States Design Patent**
Vaes et al.

(10) **Patent No.:** **US D620,136 S**
(45) **Date of Patent:** **** Jul. 20, 2010**

(54) **TWO SIDED CROWN MOLDING**

(75) Inventors: **Ed Vaes**, Stoney Creek (CA); **John Charette**, Stoney Creek (CA)

(73) Assignee: **Flip Face Inc.**, Ontario (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/330,580**

(22) Filed: **Jan. 9, 2009**

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/136**

(58) **Field of Classification Search** D25/119,
D25/136, 125, 157, 123, 102; D6/495, 300;
D8/98; D15/139; 16/16; 144/367; 52/312,
52/456, 288.1, 179; 49/471

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,773 S * 11/1869 Sage et al. D25/119
D5,176 S * 8/1871 Ferreira D25/119
347,361 A * 8/1886 Mankey 144/367
351,116 A * 10/1886 Mankey 52/312
D28,863 S * 6/1898 Baker D25/119
D28,865 S * 6/1898 Baker D25/119
D35,006 S * 8/1901 White D23/411
1,655,589 A * 1/1928 Beldam 277/530
1,984,134 A * 12/1934 Himmel et al. 428/595
D195,025 S * 4/1963 Jefferson D25/163
D222,691 S * 12/1971 Lindal D25/119
D239,493 S * 4/1976 Vihma D25/119
D256,619 S * 8/1980 Vihma D25/119
D258,766 S * 3/1981 Gold D25/119
D309,343 S * 7/1990 Koza et al. D23/269
D336,712 S * 6/1993 Ledingham D34/29
D344,807 S * 3/1994 Abbaticchio D25/38
D360,039 S * 7/1995 Stagl D25/122
D388,569 S * 12/1997 Israel D32/41
D388,884 S * 1/1998 Karnoski D25/102
D419,692 S * 1/2000 Ancel D25/119
D486,247 S * 2/2004 Eichner et al. D25/119
D499,816 S * 12/2004 Eichner et al. D25/119

D500,866 S * 1/2005 Bourque et al. D25/121
D500,869 S * 1/2005 Glatz D25/136
D529,632 S * 10/2006 Folliard D25/119
D548,907 S * 8/2007 Killen D32/41
D557,432 S * 12/2007 Smith D25/136

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Jansson Shupe & Munger Ltd.

(57) **CLAIM**

The ornamental design for a two sided crown molding, as shown and described.

DESCRIPTION

FIG. 1 is an end elevation view of a two sided crown molding also shown in FIGS. 2 and 3.

FIG. 2 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 3 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 4 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 5 and 6.

FIG. 5 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 6 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 7 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 8 and 9.

FIG. 8 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 9 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 10 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 11 and 12.

FIG. 11 is a fragmentary front side isometric view of the two sided crown molding.




FIG. 12 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 13 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 14 and 15.

FIG. 14 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 15 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 16 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 17 and 18.

FIG. 17 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 18 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 19 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 20 and 21.

FIG. 20 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 21 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 22 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 23 and 24.

FIG. 23 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 24 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 25 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 26 and 27.

FIG. 26 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 27 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 28 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 29 and 30.

FIG. 29 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 30 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 31 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 32 and 33.

FIG. 32 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 33 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 34 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 35 and 36.

FIG. 35 is a fragmentary front side isometric view of the two sided crown molding; and,

FIG. 36 is a fragmentary back side isometric view of the two sided crown molding.

The claimed design is broken on the end to indicate indeterminate length.

1 Claim, 12 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6








FIG.-10




FIG.-11




FIG.-12




FIG. 13




FIG. 14





FIG. 15








FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23





FIG. 24






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33






FIG. 34



FIG. 35




FIG. 36

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D620,136 S
APPLICATION NO. : 29/330580
DATED : July 20, 2010
INVENTOR(S) : Ed Vaes et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Drawings

The drawing Fig. 7 on sheet 3 of 12 should be deleted and replaced with the drawing Fig. 7 as shown below.



Signed and Sealed this
Tenth Day of May, 2011

A handwritten signature in black ink, reading "David J. Kappos". The signature is stylized with a large "D" and "K".

David J. Kappos
Director of the United States Patent and Trademark Office