



US00D620138S

(12) **United States Design Patent**
Vaes et al.

(10) **Patent No.:** **US D620,138 S**
(45) **Date of Patent:** **** Jul. 20, 2010**

(54) **TWO SIDED CROWN MOLDING**

(75) Inventors: **Ed Vaes**, Stoney Creek (CA); **John Charette**, Stoney Creek (CA)

(73) Assignee: **Flip Face Inc.**, Ontario (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/330,701**

(22) Filed: **Jan. 13, 2009**

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/136**

(58) **Field of Classification Search** D25/119,
D25/136, 125, 157, 123, 102; D6/495, 300;
D8/98; D15/139; 16/16; 144/367; 52/312,
52/456, 288.1, 179; 49/471

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|-----------------|-------|---------|
| D3,773 | S | * | 11/1869 | Sage et al. | | D25/119 |
| D5,176 | S | * | 8/1871 | Ferreira | | D25/119 |
| 347,361 | A | * | 8/1886 | Mankey | | 144/367 |
| 351,116 | A | * | 10/1886 | Mankey | | 52/312 |
| 1,984,134 | A | * | 12/1934 | Himmel et al. | | 428/595 |
| D152,753 | S | * | 2/1949 | Stone | | D13/199 |
| D165,150 | S | * | 11/1951 | Gebhard | | D25/125 |
| D221,742 | S | * | 9/1971 | Starck et al. | | D25/119 |
| D229,493 | S | * | 12/1973 | Feakins | | D25/125 |
| D239,493 | S | * | 4/1976 | Vihma | | D25/119 |
| D315,798 | S | * | 3/1991 | Stagl | | D25/125 |
| D341,896 | S | * | 11/1993 | Stagl | | D25/123 |
| D344,807 | S | * | 3/1994 | Abbatichio | | D25/38 |
| D360,039 | S | * | 7/1995 | Stagl | | D25/122 |
| D388,569 | S | * | 12/1997 | Israel | | D32/41 |
| D500,869 | S | * | 1/2005 | Glatz | | D25/136 |
| D564,240 | S | * | 3/2008 | Poo | | D5/99 |
| D569,566 | S | * | 5/2008 | Pfitzinger | | D32/46 |
| D570,501 | S | * | 6/2008 | Janesz et al. | | D25/125 |
| D575,068 | S | * | 8/2008 | Poo | | D5/99 |
| D584,472 | S | * | 1/2009 | Campbell et al. | | D34/29 |
| D584,474 | S | * | 1/2009 | Campbell et al. | | D34/29 |

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Jansson Shupe & Munger Ltd.

(57) **CLAIM**

The ornamental design for a two sided crown molding, as shown and described.

DESCRIPTION

FIG. 1 is an end elevation view of a two sided crown molding also shown in FIGS. 2 and 3.

FIG. 2 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 3 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 4 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 5 and 6.

FIG. 5 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 6 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 7 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 8 and 9.

FIG. 8 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 9 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 10 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 11 and 12.

FIG. 11 is a fragmentary front side isometric view of the two sided crown molding.

FIG. 12 is a fragmentary back side isometric view of the two sided crown molding.

FIG. 13 is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. 14 and 15.




FIG. **14** is a fragmentary front side isometric view of the two sided crown molding.

FIG. **15** is a fragmentary back side isometric view of the two sided crown molding.

FIG. **16** is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. **17** and **18**.

FIG. **17** is a fragmentary front side isometric view of the two sided crown molding.

FIG. **18** is a fragmentary back side isometric view of the two sided crown molding.

FIG. **19** is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. **20** and **21**.

FIG. **20** is a fragmentary front side isometric view of the two sided crown molding.

FIG. **21** is a fragmentary back side isometric view of the two sided crown molding.

FIG. **22** is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. **23** and **24**.

FIG. **23** is a fragmentary front side isometric view of the two sided crown molding.

FIG. **24** is a fragmentary back side isometric view of the two sided crown molding.

FIG. **25** is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. **26** and **27**.

FIG. **26** is a fragmentary front side isometric view of the two sided crown molding.

FIG. **27** is a fragmentary back side isometric view of the two sided crown molding.

FIG. **28** is an end elevation view of an alternate embodiment of a two sided crown molding also shown in FIGS. **29** and **30**.

FIG. **29** is a fragmentary front side isometric view of the two sided crown molding; and,

FIG. **30** is a fragmentary back side isometric view of the two sided crown molding.

The claimed design is broken on the end to indicate indeterminate length.

1 Claim, 10 Drawing Sheets

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5





Fig. 6






Fig. 7





Fig. 8

Fig. 9






Fig. 10




Fig. 11




Fig. 12

Fig. 13




Fig. 14





Fig. 15






Fig. 16




Fig. 17




Fig. 18

Fig. 19



Fig. 20




Fig. 21




Fig. 22




Fig. 23





Fig. 24






Fig. 25




Fig. 26




Fig. 27

Fig. 28




Fig. 29




Fig. 30

