



US00D620191S

(12) **United States Design Patent**  
**Feigenbaum**

(10) **Patent No.:** **US D620,191 S**

(45) **Date of Patent:** **\*\* Jul. 20, 2010**

(54) **ILLUMINATING BASE**

(75) Inventor: **Marvin Feigenbaum**, New York, NY  
(US)

(73) Assignee: **Acolyte Technologies Corporation**,  
New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/350,012**

(22) Filed: **Nov. 10, 2009**

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/142**

(58) **Field of Classification Search** ..... D26/120,  
D26/121, 118, 113, 123, 124, 142, 138, 52,  
D26/72, 128, 131, 137; D11/7, 9, 10, 15,  
D11/21, 43, 45, 85, 89; D13/180, 181; D16/213,  
D16/218, 101, 317, 134; D14/511, 496,  
D14/389, 507, 203.1, 217, 299; 40/546;  
362/615, 241, 246, 612, 101; 63/35; D5/45,  
D5/63; D7/553.6, 554.2, 388, 624.1, 625  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,836,766 A \* 9/1974 Auerbach ..... 362/311.14
- D331,638 S \* 12/1992 Vamberszky et al. .... D26/118
- 5,307,250 A \* 4/1994 Pearson ..... 362/101
- D349,778 S \* 8/1994 Johnson et al. .... D26/86
- D397,233 S \* 8/1998 Bassford ..... D26/67
- D400,406 S \* 11/1998 House ..... D7/624.1
- 6,120,162 A 9/2000 Guerrieri
- D446,325 S 8/2001 Guerrieri
- D447,584 S 9/2001 Guerrieri
- D482,469 S 11/2003 Guerrieri
- 6,641,283 B1 \* 11/2003 Bohler ..... 362/238

- D489,578 S \* 5/2004 Lai ..... D7/624.1
- 6,840,654 B2 1/2005 Guerrieri et al.
- D501,573 S \* 2/2005 Benensohn ..... D26/89
- 6,848,807 B2 2/2005 Guerrieri
- 6,848,808 B2 2/2005 Guerrieri
- 6,857,771 B2 2/2005 Guerrieri
- 6,900,735 B2 5/2005 Guerrieri et al.
- D528,996 S \* 9/2006 Egawa ..... D13/180
- D562,492 S \* 2/2008 Chen ..... D26/85
- D586,491 S \* 2/2009 Levine ..... D26/63
- D598,583 S \* 8/2009 Levine ..... D26/25

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Gottlieb, Rackman &  
Reisman, P.C.

(57) **CLAIM**

The ornamental design for an illuminating base, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and left side perspective view of an illuminating base showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a right side view thereof, the left side view being a mirror image;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken lines showing the environment in the figures are for illustrative purpose only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6