



US00D620631S

(12) **United States Design Patent**
Wildner

(10) **Patent No.:** **US D620,631 S**
(45) **Date of Patent:** **** Jul. 27, 2010**

(54) **LUMINAIRE**

(75) Inventor: **Florian Wildner**, Munich (DE)

(73) Assignee: **OSRAM Gesellschaft mit
beschraenkter Haftung**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/341,985**

(22) Filed: **Aug. 17, 2009**

(30) **Foreign Application Priority Data**

Feb. 18, 2009 (EM) 001097646
Aug. 11, 2009 (EM) 001160634

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/88; D26/85**

(58) **Field of Classification Search** D26/72,
D26/80-86, 88-91, 118, 128, 129; 362/147,
362/404-408, 443, 457
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D135,613 S * 5/1943 Hallman D26/82
D162,744 S * 4/1951 McCann D26/78
2,629,044 A * 2/1953 Marfisi 40/431
D204,013 S * 3/1966 Hall D26/128
D206,798 S * 1/1967 Hill D22/123
D220,206 S * 3/1971 Hamburger D26/75
D240,549 S * 7/1976 Eftekhar D26/78
5,140,216 A * 8/1992 Darr 313/25

5,144,545 A * 9/1992 Klitzing 362/101
D356,382 S * 3/1995 Jaksich D26/75
D595,448 S * 6/2009 Sabernig D26/88
D596,335 S * 7/2009 Sabernig D26/88
2002/0191390 A1 * 12/2002 Newhouse et al. 362/147

OTHER PUBLICATIONS

“Olympia” Pendants E20061-05 and E20061-07 shown on p. 48; and pendants E20064-07 and E20064-05 shown on p. 47 of the 2007 ET2 Lighting Catalog. (2 pages).*

* cited by examiner

Primary Examiner—Clare E Heflin

(57) **CLAIM**

The ornamental design for a luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front right side view of the luminaire;
FIG. 2 is a front view of the luminaire;
FIG. 3 is a right side view of the luminaire;
FIG. 4 is a back view of the luminaire;
FIG. 5 is a left side view of the luminaire;
FIG. 6 is a top view of the luminaire; and,
FIG. 7 is a bottom view of the luminaire.

In an embodiment, the product is a long cylindrical luminaire having LEDs and a male connector on the one side as well as a female connector on the opposite side. The connectors can be used to connect two or more such luminaires together.

1 Claim, 7 Drawing Sheets



FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7

