



US00D620848S

(12) **United States Design Patent**
Haines

(10) **Patent No.:** **US D620,848 S**

(45) **Date of Patent:** **** Aug. 3, 2010**

(54) **REAR END GEAR BOX HOUSING WITH
OFFSET INPUT**

(75) Inventor: **James S. Haines**, Lancaster, PA (US)

(73) Assignee: **Diversified Machine, Inc.**, Lancaster,
PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/327,299**

(22) Filed: **Nov. 3, 2008**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/160**

(58) **Field of Classification Search** D12/159,
D12/160; 280/5.5-5.524; D15/7, 148; 301/126-130
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D39,629 S *	10/1908	Huff	D12/159
D42,317 S *	3/1912	Douglas	D12/160
1,275,444 A *	8/1918	Kline	180/349
D246,451 S *	11/1977	Shealy	D12/160

(Continued)

OTHER PUBLICATIONS

Undated Advertisement for Bulldog Rear Ends by Diversified Racing, Inc..

Primary Examiner—T. Chase Nelson

Assistant Examiner—Michael A Pratt

(74) *Attorney, Agent, or Firm*—Miller Law Group, PLLC

(57) **CLAIM**

The ornamental design for a rear end gear box housing with offset input, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of the rear end gear box housing with offset input showing my new design, the cover for the tilted back side transfer cowling being shown in phantom;

FIG. 2 is a right side elevational view thereof, the cover for the transfer cowling being shown in phantom;

FIG. 3 is a front elevational view thereof, the broken line showing a bearing race is included for the purpose of illustrating environment and forms no part of the claimed design;

FIG. 4 is a rear elevational view thereof showing the offset opening for the power input shaft;

FIG. 5 is a top plan view thereof, the cover for the transfer cowling being shown in phantom;

FIG. 6 is a bottom plan view thereof, the cover for the transfer cowling being shown in phantom;

FIG. 7 is a left rear perspective view thereof;

FIG. 8 is a left side elevational view of an alternative embodiment of the rear end gear box housing with offset input, the cover for the tilted back side transfer cowling being shown in phantom;

FIG. 9 is a right side elevational view of the alternative embodiment, the cover for the transfer cowling being shown in phantom;

FIG. 10 is a front elevational view of the alternative embodiment, the broken line showing a bearing race is included for the purpose of illustrating environment and forms no part of the claimed design;


FIG. 11 is a rear elevational view of the alternative embodiment showing the offset opening for the power input shaft;

FIG. 12 is a top plan view of the alternative embodiment, the cover for the transfer cowling being shown in phantom;

FIG. 13 is a bottom plan view of the alternative embodiment, the cover for the transfer cowling being shown in phantom; and,

FIG. 14 is a left rear perspective view of the alternative embodiment.

1 Claim, 14 Drawing Sheets



US D620,848 S

Page 2

U.S. PATENT DOCUMENTS

4,807,939	A *	2/1989	Sasa	301/137	6,122,996	A *	9/2000	Hauser et al.	74/607
D341,560	S *	11/1993	Fabris et al.	D12/160	7,004,636	B2 *	2/2006	Deschler	384/535
D394,072	S *	5/1998	McAvinney et al.	D15/148	D554,675	S *	11/2007	Baker, Jr.	D15/148
D416,922	S *	11/1999	Lannoch	D15/148	D603,870	S *	11/2009	Mehnert et al.	D15/7

* cited by examiner




Fig. 1




Fig. 2

Fig. 3





Fig. 4







Fig. 5

Fig. 6






Fig. 7




Fig. 8




Fig. 9

Fig. 10




Fig. 11




Fig. 12





Fig. 13






Fig. 14