



US00D620900S

(12) **United States Design Patent**
Harden et al.

(10) **Patent No.:** **US D620,900 S**

(45) **Date of Patent:** **** Aug. 3, 2010**

(54) **SET-TOP UNIT**

(75) Inventors: **Daniel K. Harden**, Palo Alto, CA (US);
Christopher L. Whittall, Los Gatos, CA
(US); **Kyle A. Buzzard**, San Jose, CA
(US)

(73) Assignee: **Cisco Technology, Inc.**, San Jose, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/352,370**

(22) Filed: **Dec. 19, 2009**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D14/125; D14/240**

(58) **Field of Classification Search** D14/125,
D14/133, 240, 484.1, 480.6, 435.1, 358, 374,
D14/242, 361-363, 365-367, 433; D13/133;
361/757; 439/131, 159, 501, 528, 623, 652,
439/654; 379/220.1, 25, 93.09, 93.15, 93.14,
379/156, 424; 451/550.1, 557

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D365,102 S	12/1995	Gioscia	
D381,634 S	7/1997	Yanku	
D385,541 S	10/1997	Taylor	
D394,266 S *	5/1998	Hogenbirk D14/240
D395,312 S	6/1998	Parsadayan et al.	
D406,142 S	2/1999	Meurer	
D423,509 S	4/2000	Park	
D426,232 S	6/2000	Silbermann et al.	
D430,861 S	9/2000	Lytel	
D437,310 S	2/2001	Gioscia	
D458,250 S	6/2002	Kim et al.	
D472,235 S *	3/2003	Chen D14/242
D473,220 S *	4/2003	Smith et al. D14/240
D483,353 S *	12/2003	Hyogo D14/240
D485,827 S	1/2004	Olson et al.	
D491,922 S	6/2004	Poulet	
D517,532 S	3/2006	Chen	

D531,136 S	10/2006	Schoenert et al.	
D531,993 S	11/2006	Choi et al.	
D534,502 S	1/2007	Poulet et al.	
D541,245 S	4/2007	Fiorio	
D550,211 S	9/2007	Ikeda et al.	
D563,948 S	3/2008	d'Hoore	
D566,667 S *	4/2008	Whittaker et al. D14/125
D566,668 S *	4/2008	Whittaker et al. D14/125
D571,743 S *	6/2008	Tu D14/125
D575,316 S	8/2008	Liu et al.	

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/352,371, filed Dec. 19, 2009, entitled "Camera Assembly," Inventor(s): Daniel K. Harden et al.

(Continued)

Primary Examiner—Charles A Rademaker
(74) *Attorney, Agent, or Firm*—Patent Capital Group

(57) **CLAIM**


The ornamental design for a set-top unit, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view showing a set-top unit design showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is another side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a bottom perspective view thereof.

The broken lines shown in the figure drawings are included for the purpose illustrating structural environment form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D620,900 S

Page 2

U.S. PATENT DOCUMENTS

D577,693 S * 9/2008 King et al. D14/125
D579,871 S * 11/2008 Hsiau D13/133
D583,366 S * 12/2008 Chen D14/240
D587,707 S * 3/2009 Maiers et al. D14/356
D590,395 S * 4/2009 Heggland D14/363
D598,436 S * 8/2009 Tseng D14/240
D606,034 S * 12/2009 Suzuki D14/125

D611,462 S * 3/2010 McGuire D14/240

OTHER PUBLICATIONS

U.S. Appl. No. 29/352,372, filed Dec. 19, 2009, entitled "Handset,"
Inventor(s): Daniel K. Harden et al.

U.S. Appl. No. 29/352,373, filed Dec. 19, 2009, entitled "Cradle
Device," Inventor(s): Daniel K. Harden et al.

U.S. Appl. No. 29/352,374, filed Dec. 19, 2009, entitled "Handset,"
Inventor(s): Daniel K. Harden et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8