

US00D620963S

(12) **United States Design Patent**
Jeter et al.

(10) **Patent No.:** **US D620,963 S**
(45) **Date of Patent:** **** Aug. 3, 2010**

(54) **USER INTERFACE PORTION OF A HOT MELT ADHESIVE MELTER**

(75) Inventors: **David R. Jeter**, Woodstock, GA (US);
Mark G. Reifenberger, Norcross, GA (US); **Paula E. Ruse**, Lawrenceville, GA (US)

(73) Assignee: **Nordson Corporation**, Westlake, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/354,453**

(22) Filed: **Jan. 25, 2010**

Related U.S. Application Data

(62) Division of application No. 29/341,492, filed on Aug. 6, 2009, now Pat. No. Des. 611,515.

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/144**

(58) **Field of Classification Search** D15/144,
D15/144.1, 14.2; D34/7; 219/421, 426,
219/601; 222/146.5, 152, 156, 189.06, 386,
222/389, 397, 405, 420-426, 430, 431; 266/200;
432/161

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,792,801	A	2/1974	Baker et al.	
D276,617	S	12/1984	Scholl et al.	
D360,422	S	7/1995	Frates et al.	
D388,800	S	1/1998	Zook et al.	
6,039,217	A	3/2000	Faulkner, III et al.	
D425,530	S	5/2000	Lafitte	
D471,686	S *	3/2003	Zimmerman	D34/8
D488,177	S	4/2004	Dittmann et al.	
D489,741	S *	5/2004	Calco et al.	D15/144
D500,063	S	12/2004	Jeter et al.	
D540,001	S *	4/2007	Zimmerman	D34/9

D552,641	S	10/2007	Razquin Murgui	
D556,798	S	12/2007	Franco	
D562,368	S	2/2008	Byerly et al.	
D578,267	S *	10/2008	Yang et al.	D34/8
D603,119	S *	10/2009	Yang et al.	D34/7
D611,515	S *	3/2010	Chastine et al.	D15/144
2001/0009752	A1 *	7/2001	Reifenberger et al.	432/161
2009/0095730	A1	4/2009	Ganzer et al.	

* cited by examiner

Primary Examiner—Sandra Snapp

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Wood, Herron & Evans, L.L.P.

(57) **CLAIM**

The ornamental design for a user interface portion of a hot melt adhesive melter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the user interface portion of a hot melt adhesive melter, and with broken lines showing environmental structure that does not form any part of the claimed invention.

FIG. 2 is a front perspective of the user interface portion of a hot melt adhesive melter as shown in FIG. 1, but without the broken lines.

FIG. 3 is a front view of the user interface portion of a hot melt adhesive melter.


FIG. 4 is a left side view of the user interface portion of a hot melt adhesive melter, the right side being a mirror image thereof.

FIG. 5 is a rear view of the user interface portion of a hot melt adhesive melter.

FIG. 6 is a top view of the user interface portion of a hot melt adhesive melter; and,

FIG. 7 is a bottom view of the user interface portion of a hot melt adhesive melter.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7