



US00D621088S

(12) **United States Design Patent**  
**Nomi et al.**

(10) **Patent No.:** **US D621,088 S**

(45) **Date of Patent:** **\*\* Aug. 3, 2010**

(54) **LANTERN**

D583,090 S \* 12/2008 Silver ..... D26/85  
D596,783 S \* 7/2009 Silver ..... D26/90

(75) Inventors: **Takuo Nomi**, Osaka (JP); **Shinji Oda**,  
Osaka (JP)

\* cited by examiner

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

*Primary Examiner*—T. Chase Nelson  
*Assistant Examiner*—Kevin K Rudzinski

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Rabin & Berdo, PC

(21) Appl. No.: **29/311,749**

(57) **CLAIM**

(22) Filed: **Jun. 10, 2009**

The ornamental design for a lantern, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Dec. 19, 2008 (JP) ..... 2008-032251

FIG. 1 is a perspective view of a lantern showing our new design;

(51) **LOC (9) Cl.** ..... **26-99**

FIG. 2 is a front elevation view thereof;

(52) **U.S. Cl.** ..... **D26/118**

FIG. 3 is a rear elevation view thereof;

(58) **Field of Classification Search** ..... D26/113,  
D26/63, 118, 93, 110, 138, 61, 24, 120, 40,  
D26/73, 2, 25, 37, 60, 81, 119, 122, 123,  
D26/128, 140, 141, 142; 362/33, 249.09,  
362/648, 101; D13/110, 134, 180; 439/121,  
439/239, 241

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof, the broken lines showing of internal structures is for illustrative purposes only and form no part of the claimed design;

See application file for complete search history.

FIG. 6 is a right side view thereof;

FIG. 7 is a left side view thereof;

(56) **References Cited**

FIG. 8 is a referential front elevation view thereof showing transparent portions by illustrated with oblique lines;

**U.S. PATENT DOCUMENTS**

FIG. 9 is a referential view for showing an example of use of the present article, another lantern is shown in broken lines forming no part of the claimed design;

D67,891	S	*	7/1925	Klein	.....	D26/129
3,211,906	A	*	10/1965	Zucchi	.....	362/360
D257,901	S	*	1/1981	Scholze et al.	.....	D26/93
D270,483	S	*	9/1983	Gardner et al.	.....	D26/63
4,523,263	A	*	6/1985	Poyer	.....	362/267
D363,036	S	*	10/1995	Sasaki	.....	D10/114
D392,407	S	*	3/1998	Johnson et al.	.....	D26/67
D456,550	S	*	4/2002	Clodagh	.....	D26/85
6,550,936	B2	*	4/2003	Foley	.....	362/268
D499,829	S	*	12/2004	Curtin	.....	D26/67
D501,059	S	*	1/2005	Curtin	.....	D26/85
6,948,830	B1	*	9/2005	Petrick	.....	362/229
D525,739	S	*	7/2006	Wu	.....	D26/93
D532,147	S	*	11/2006	Crosby	.....	D26/118
D547,483	S	*	7/2007	Pickett	.....	D26/89
D560,006	S	*	1/2008	Garner et al.	.....	D26/37

FIG. 10 is a referential view for showing another example of use of the present article, two other lanterns and a rope are shown in broken lines forming no part of the claimed design; and,

FIG. 11 is a referential view for showing further another example of use of the present article, two other lanterns and a rope are shown in broken lines forming no part of the claimed design.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 10 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11

