



US00D621088S

(12) **United States Design Patent**
Nomi et al.

(10) **Patent No.:** **US D621,088 S**

(45) **Date of Patent:** **** Aug. 3, 2010**

(54) **LANTERN**

D583,090 S * 12/2008 Silver D26/85
D596,783 S * 7/2009 Silver D26/90

(75) Inventors: **Takuo Nomi**, Osaka (JP); **Shinji Oda**,
Osaka (JP)

* cited by examiner

(73) Assignee: **Sanyo Electric Co., Ltd.**, Osaka (JP)

Primary Examiner—T. Chase Nelson
Assistant Examiner—Kevin K Rudzinski

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Rabin & Berdo, PC

(21) Appl. No.: **29/311,749**

(57) **CLAIM**

(22) Filed: **Jun. 10, 2009**

The ornamental design for a lantern, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 19, 2008 (JP) 2008-032251

FIG. 1 is a perspective view of a lantern showing our new design;

(51) **LOC (9) Cl.** **26-99**

FIG. 2 is a front elevation view thereof;

(52) **U.S. Cl.** **D26/118**

FIG. 3 is a rear elevation view thereof;

(58) **Field of Classification Search** D26/113,
D26/63, 118, 93, 110, 138, 61, 24, 120, 40,
D26/73, 2, 25, 37, 60, 81, 119, 122, 123,
D26/128, 140, 141, 142; 362/33, 249.09,
362/648, 101; D13/110, 134, 180; 439/121,
439/239, 241

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof, the broken lines showing of internal structures is for illustrative purposes only and form no part of the claimed design;

See application file for complete search history.

FIG. 6 is a right side view thereof;

FIG. 7 is a left side view thereof;

(56) **References Cited**

FIG. 8 is a referential front elevation view thereof showing transparent portions by illustrated with oblique lines;

U.S. PATENT DOCUMENTS

FIG. 9 is a referential view for showing an example of use of the present article, another lantern is shown in broken lines forming no part of the claimed design;

D67,891 S * 7/1925 Klein D26/129
3,211,906 A * 10/1965 Zucchi 362/360
D257,901 S * 1/1981 Scholze et al. D26/93
D270,483 S * 9/1983 Gardner et al. D26/63
4,523,263 A * 6/1985 Poyer 362/267
D363,036 S * 10/1995 Sasaki D10/114
D392,407 S * 3/1998 Johnson et al. D26/67
D456,550 S * 4/2002 Clodagh D26/85
6,550,936 B2 * 4/2003 Foley 362/268
D499,829 S * 12/2004 Curtin D26/67
D501,059 S * 1/2005 Curtin D26/85
6,948,830 B1 * 9/2005 Petrick 362/229
D525,739 S * 7/2006 Wu D26/93
D532,147 S * 11/2006 Crosby D26/118
D547,483 S * 7/2007 Pickett D26/89
D560,006 S * 1/2008 Garner et al. D26/37

FIG. 10 is a referential view for showing another example of use of the present article, two other lanterns and a rope are shown in broken lines forming no part of the claimed design; and,

FIG. 11 is a referential view for showing further another example of use of the present article, two other lanterns and a rope are shown in broken lines forming no part of the claimed design.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

