

US00D621343S

(12) **United States Design Patent**
Yoda et al.

(10) **Patent No.:** **US D621,343 S**
(45) **Date of Patent:** **** Aug. 10, 2010**

(54) **TIRE TREAD**

(75) Inventors: **Hidetoshi Yoda**, Tokyo (JP); **Tomonori Aoki**, Tokyo (JP)

(73) Assignee: **Bridgestone Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/330,124**

(22) Filed: **Dec. 30, 2008**

(30) **Foreign Application Priority Data**

Jul. 7, 2008 (JP) 2008-017394

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/584**

(58) **Field of Classification Search** D12/568-603;
152/209.1, 209.5, 209.8, 209.12, 209.18,
152/209.21, 209.9

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D492,246 S * 6/2004 Salvan et al. D12/567
D559,773 S * 1/2008 Campana et al. D12/579

D610,073 S * 2/2010 Laroche D12/579

FOREIGN PATENT DOCUMENTS

JP 2008-126943 A 6/2008

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tire tread, shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a right side elevation view thereof; and,

FIG. 4 is an enlarged fragmentary front view thereof.

The broken lines shown in the drawings are for the purpose of showing environmental structure only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4

