

US00D621522S

(12) **United States Design Patent**  
**Wilkinson**

(10) **Patent No.:** **US D621,522 S**  
(45) **Date of Patent:** **\*\* Aug. 10, 2010**

(54) **PIERCEABLE COLLECTION CONTAINER  
DEVICE**

**DESCRIPTION**

(75) Inventor: **Bradley M. Wilkinson**, North Haledon,  
NJ (US)

(73) Assignee: **Becton, Dickinson and Company**,  
Franklin Lakes, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/342,937**

(22) Filed: **Sep. 3, 2009**

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/224**

(58) **Field of Classification Search** ..... D24/216,  
D24/222–226, 231, 232, 169; D10/80, 81;  
422/99, 100, 102, 56, 58, 61, 68.1, 69; 435/288.1,  
435/288.3, 289.1; D9/500, 503, 504  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,411,163 A 10/1983 White

(Continued)

**FOREIGN PATENT DOCUMENTS**

WO 2009111622 A2 9/2009

**OTHER PUBLICATIONS**

Product insert commercially available from Terumo for Venosafe.

(Continued)

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Anhdao Doan

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

(57) **CLAIM**

The ornamental design of a pierceable collection container device, as shown and described.

This application claims priority to U.S. patent application Ser. No. 12/398,628, filed Mar. 5, 2009, entitled “Co-Molded Pierceable Stopper and Method for Making Same”, the entire disclosure of which is herein incorporated by reference.

FIG. 1 is a generally top-directed perspective view of a pierceable collection container device in accordance with an embodiment of the present invention;

FIG. 2 is a front view of the pierceable collection container device of FIG. 1, with the rear view being a mirror image thereof;

FIG. 3 is a left side view of the pierceable collection container device of FIG. 1, with the right side view being a mirror image thereof;

FIG. 4 is a top view of the pierceable collection container device of FIG. 1;

FIG. 5 is a bottom view of the pierceable collection container device of FIG. 1;

FIG. 6 is generally bottom-directed perspective view of the pierceable collection container device of FIG. 1;

FIG. 7 is a cross-sectional view of the pierceable collection container device of FIG. 1, taken along line 7—7;


FIG. 8 is an exploded perspective view of the pierceable collection container device of FIG. 1 shown with a collection container as a pierceable collection container device assembly in accordance with an embodiment of the present invention;

FIG. 9 is an assembled left side view of the pierceable collection container device assembly of FIG. 8, with the assembled right side view being a mirror image thereof; and,

FIG. 10 is an assembled front view of the pierceable collection container device assembly of FIG. 8, with the assembled rear view being a mirror image thereof.

In the Figures, the features shown in broken line are for the purpose of illustrating surface features and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



U.S. PATENT DOCUMENTS

4,576,185 A 3/1986 Proud et al.  
D285,115 S 8/1986 Proud et al.  
5,038,794 A 8/1991 Van Valkenburg  
5,288,466 A 2/1994 Burns  
5,384,096 A 1/1995 Burns  
D356,643 S 3/1995 Burns  
D357,985 S \* 5/1995 Burns ..... D24/224  
5,458,113 A 10/1995 Burns  
5,458,854 A 10/1995 Burns  
5,494,170 A 2/1996 Burns  
5,527,513 A 6/1996 Burns  
5,552,117 A \* 9/1996 Burns ..... 422/102  
5,601,728 A \* 2/1997 Kayal et al. .... 210/768  
D383,851 S \* 9/1997 Wong ..... D24/224  
5,699,923 A 12/1997 Burns  
5,711,875 A 1/1998 Kayal et al.  
5,738,233 A 4/1998 Burns  
D425,625 S 5/2000 Niermann  
6,056,925 A 5/2000 Sarstedt  
6,221,655 B1 4/2001 Fung et al.  
6,358,476 B1 3/2002 Innamorato et al.  
D457,247 S \* 5/2002 Iheme et al. .... D24/224  
6,426,049 B1 \* 7/2002 Rosen et al. .... 422/102  
6,551,267 B1 4/2003 Cohen et al.  
6,562,300 B2 \* 5/2003 Rosen et al. .... 422/102

D491,275 S \* 6/2004 Walters et al. .... D24/224  
2002/0156439 A1 10/2002 Iskra  
2009/0308184 A1 12/2009 Blekher et al.

OTHER PUBLICATIONS

Product insert commercially available from Becton, Dickinson and Company for BD Microtainer Chemistry Tubes.  
Product insert commercially available from Becton, Dickinson and Company for BD Capillary Collection, 2004.  
Product insert commercially available from Becton, Dickinson and Company for BD Microtainer Plasma Separator Tube, 2000.  
Product insert commercially available from Becton, Dickinson and Company for BD Microtainer Tubes with BD Microgard Closure, 2003.  
Product insert commercially available from Becton, Dickinson and Company for BD Microtainer Tubes with Microgard Closure—Tube Guide and Order of Draw, 2003.  
Product insert commercially available from Becton, Dickinson and Company for BD Microtainer Tubes—Tube Guide and Order of Draw, 2003.  
Product Literature commercially available from Greiner Bio One at [www.gbo.com/documents/V01\\_Tube\\_Guide\\_000502\\_e.pdf](http://www.gbo.com/documents/V01_Tube_Guide_000502_e.pdf).  
Portions of product literature catalog commercially available from Greiner Bio One at [www.gbo.com/documents/980042\\_VACUETTEkatalog\\_rev04\\_0609\\_small\\_e.pdf](http://www.gbo.com/documents/980042_VACUETTEkatalog_rev04_0609_small_e.pdf).

\* cited by examiner




FIG.1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG.6




FIG. 7




FIG.8






FIG.9




FIG.10