



US00D621561S

(12) **United States Design Patent**
Siklosi et al.

(10) **Patent No.:** **US D621,561 S**
(45) **Date of Patent:** **** Aug. 10, 2010**

(54) **PET HARNESS SAFETY SYSTEM**

5,305,710 A 4/1994 Ward, Jr.
5,427,061 A 6/1995 McCullough
5,443,037 A 8/1995 Saleme
D363,572 S * 10/1995 Obenchain D30/145

(75) Inventors: **Tibor Siklosi**, Grove, OK (US); **David Price**, Miami, OK (US)

(73) Assignee: **Bergan, LLC**, Monkey Island, OK (US)

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/344,019**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Sep. 22, 2009**

DE 29620586 2/1997

(51) **LOC (9) Cl.** **30-04**

(Continued)

(52) **U.S. Cl.** **D30/152; D30/151; D30/153; D30/154; D30/199**

Primary Examiner—Susan Moon Lee
(74) *Attorney, Agent, or Firm*—Head, Johnson & Kachigian, P.C.

(58) **Field of Classification Search** D30/152, D30/144, 151, 153, 154; 119/702, 712, 792–798, 119/758, 760, 769, 770, 784, 815, 818, 856, 119/863, 864, 905, 907, 802, 857, 865, 725, 119/771; D21/805, 804; D3/217, 327, 271.2; D29/101.1, 101.5, 101.3; D24/190; D34/28; 54/71

(57) **CLAIM**

The ornamental design for a pet harness safety system, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,909,154 A 10/1959 Thomas
- 3,310,034 A 3/1967 Dishart
- 3,948,222 A 4/1976 Longshore et al.
- 4,292,932 A 10/1981 Wooderson
- 4,324,204 A 4/1982 Friedman
- 4,537,154 A 8/1985 Kay
- 4,597,359 A 7/1986 Moorman
- 4,676,198 A 6/1987 Murray
- 4,715,618 A 12/1987 Harris
- 4,817,562 A 4/1989 Giroux
- 4,907,541 A 3/1990 Thompson
- 4,932,362 A 6/1990 Birchmire, III et al.
- D312,151 S * 11/1990 Dickey D30/145
- 4,970,991 A 11/1990 Luce
- 5,035,203 A 7/1991 Cardenas
- 5,133,294 A 7/1992 Reid
- 5,154,660 A 10/1992 Snyder et al.
- 5,167,203 A 12/1992 Scott et al.

FIG. 1 is a perspective view of a pet harness safety system of the claimed invention, shown in use;

FIG. 2 is an exterior view of the pet harness safety system shown unfolded for clarity;

FIG. 3 is an interior view thereof;


FIG. 4 is an enlarged perspective view of the back plate of the pet harness safety system shown in an open position for clarity; and,

FIG. 5 is an enlarged perspective view of the back plate of the pet harness safety system shown in a closed position for clarity.

The broken line showing of a dog in FIG. 1 is environmental and not claimed.

The strap in FIG. 1 is shown broken away for ease of illustration.

1 Claim, 4 Drawing Sheets



US D621,561 S

Page 2

U.S. PATENT DOCUMENTS

5,479,892	A	1/1996	Edwards	
5,487,361	A	1/1996	Dean	
5,492,084	A	2/1996	Brassington	
5,503,113	A	4/1996	Knight	
5,529,018	A	6/1996	Butts	
5,551,379	A	9/1996	Hart	
5,613,467	A	3/1997	Arakawa	
D379,686	S *	6/1997	Caditz	D30/145
5,666,909	A	9/1997	Dupre	
5,718,190	A	2/1998	Tinker	
5,724,920	A	3/1998	Meisman et al.	
5,746,157	A	5/1998	Warwaruk	
5,810,227	A	9/1998	Jorgensen	
5,913,285	A *	6/1999	Pritchard	119/771
5,915,335	A *	6/1999	Holt, Jr.	119/771
6,029,611	A	2/2000	Hershauer	
D424,761	S *	5/2000	Mortenson	D30/152
6,079,370	A	6/2000	Al-Birmani et al.	
6,101,979	A *	8/2000	Wilson et al.	119/725
6,164,245	A	12/2000	Johnson	
6,253,713	B1	7/2001	Giedeman, III et al.	
6,260,513	B1	7/2001	Younkin	
6,374,776	B2	4/2002	Adair et al.	
6,427,635	B1	8/2002	Ballard	
6,450,130	B1 *	9/2002	Goldberg	119/792
6,543,390	B2	4/2003	Lowery	
6,564,749	B1	5/2003	Dorsey	
6,588,365	B2	7/2003	Best Wright	
6,591,787	B1	7/2003	Gantz et al.	
6,601,540	B1	8/2003	Davis	
D480,843	S *	10/2003	Sullivan	D30/152
6,637,377	B2 *	10/2003	Lobanoff et al.	119/792
6,662,755	B2 *	12/2003	Kato	119/856
6,694,923	B1 *	2/2004	Fouche	119/792
6,802,282	B2	10/2004	Muckleroy	
6,827,044	B2 *	12/2004	Lobanoff et al.	119/771

6,834,621	B1	12/2004	O'Neill	
7,284,505	B1	10/2007	Paxton et al.	
7,311,063	B2	12/2007	Goldberg	
7,343,881	B2	3/2008	Schantz et al.	
7,353,779	B2 *	4/2008	Altieri	119/770
7,357,099	B2	4/2008	Smith et al.	
D569,050	S *	5/2008	Spater et al.	D30/152
7,448,345	B1	11/2008	O'Donnell	
2002/0046714	A1	4/2002	Simmons	
2002/0053324	A1 *	5/2002	Kato	119/856
2004/0025804	A1 *	2/2004	Smith et al.	119/792
2005/0263102	A1	12/2005	Sherman et al.	
2006/0054109	A1 *	3/2006	Smith	119/856
2006/0150922	A1	7/2006	Kroclicik	
2007/0157891	A1	7/2007	Wayn	
2008/0072838	A1	3/2008	Beach et al.	
2008/0184937	A1	8/2008	Hoffman et al.	
2008/0184942	A1	8/2008	Wiley	
2008/0245317	A1	10/2008	Caldwell	
2008/0314336	A1	12/2008	Church et al.	
2009/0066071	A1	3/2009	Singh	

FOREIGN PATENT DOCUMENTS

DE	29900222	9/1999
DE	202005017519	1/2006
DE	202006011581	10/2006
EP	1607284	12/2005
FR	2233931	1/1975
FR	2594079	8/1987
GB	2444321	6/2008
JP	2003274787	9/2003
JP	2004058925	2/2004
JP	2007209321	8/2007
WO	WO8800540	1/1988
WO	WO9829281	7/1998

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5