



US00D621686S

(12) **United States Design Patent**
Lundh

(10) **Patent No.:** **US D621,686 S**
(45) **Date of Patent:** **** Aug. 17, 2010**

(54) **LOCK FOR A CHILD SAFETY BARRIER**

D542,624 S * 5/2007 Vickers et al. D8/331
7,396,056 B2 * 7/2008 Cheng 292/341.15
D578,375 S * 10/2008 Samhammer et al. D8/331

(75) Inventor: **Joran Lundh**, c/o Lascal Ltd., Suite 919,
9th Floor, Tower 3, China Hong Kong
City, 33 Canton Road, Kowloon (HK)

(73) Assignee: **Joran Lundh**, Kowloon (HK)

(**) Term: **14 Years**

(21) Appl. No.: **29/356,269**

(22) Filed: **Feb. 23, 2010**

Related U.S. Application Data

(62) Division of application No. 29/330,786, filed on Jan.
14, 2009.

(30) **Foreign Application Priority Data**

Jul. 15, 2008 (EM) 000970330

(51) **LOC (9) Cl.** **08-07**

(52) **U.S. Cl.** **D8/331**

(58) **Field of Classification Search** D8/330,
D8/331, 346; 49/55, 57, 394; 70/158, DIG. 28;
292/DIG. 29

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,065,922 B1 * 6/2006 De Kruijff et al. 49/57

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop Shaw
Pittman, LLP

(57) **CLAIM**

I claim the ornamental design for a lock for a child safety
barrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lock for a child safety barrier
embodying my new design;

FIG. 2 is a perspective view of the locking device of FIG. 1,
illustrating the locking mechanism after a 90° turn of its knob;


FIG. 3 is a top plan view of the locking device of FIG. 1;

FIG. 4 is a left profile view of the device of FIG. 1;

FIG. 5 is a front elevational view of the locking device of FIG.
1; and,

FIG. 6 is a rear elevational view of the locking device of FIG.
1.

1 Claim, 6 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6