



US00D621962S

(12) **United States Design Patent**  
**Deleu**

(10) **Patent No.:** **US D621,962 S**

(45) **Date of Patent:** **\*\* Aug. 17, 2010**

(54) **FRAME ELEMENT FOR TAUT FABRICS**

D313,078 S \* 12/1990 Rinehart ..... D25/60  
5,727,356 A \* 3/1998 Ensinger et al. .... 52/717.02  
D402,049 S \* 12/1998 Goodchild ..... D25/122

(75) Inventor: **Dirk Deleu**, Nazareth (BE)

\* cited by examiner

(73) Assignee: **Aluvision, N.V.**, Nazareth (BE)

*Primary Examiner*—Doris Clark

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Kirschstein, et al.

(21) Appl. No.: **29/308,020**

(57) **CLAIM**

(22) Filed: **May 22, 2008**

The ornamental design for a frame element for taut fabrics, as shown and described.

(30) **Foreign Application Priority Data**

Nov. 27, 2007 (EM) ..... 832977-0004

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **25-01**

FIG. 1 is a broken-away, perspective view of a frame element for taut fabrics according to my new design;

(52) **U.S. Cl.** ..... **D25/122**

FIG. 2 is a broken-away, side elevational view thereof, the opposite side view being a mirror image;

(58) **Field of Classification Search** ..... D25/121,  
D25/122, 60; 52/762, 764, 716.1, 204.1,  
52/716.8, 786, 790.1, 474; 49/504

FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image; and,

See application file for complete search history.

FIG. 4 is a broken-away, bottom plan view thereof.


(56) **References Cited**

The extrusion profile has been broken on the end to indicate indefinite length.

**U.S. PATENT DOCUMENTS**

3,121,261 A \* 2/1964 Ritter, Jr. .... 52/204.595

**1 Claim, 3 Drawing Sheets**






FIG. 1

FIG. 2






FIG. 3



**FIG. 4**