

US00D622119S

(12) **United States Design Patent**
Schultheiss

(10) **Patent No.:** **US D622,119 S**

(45) **Date of Patent:** **** *Aug. 24, 2010**

(54) **GRIPPER JOINT**

(75) Inventor: **Martin Schultheiss**, Schwäbisch Gmünd (DE)

(73) Assignee: **Kunststoffwerk AG Buchs**, Buchs SG (CH)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/327,367**

(22) Filed: **Nov. 4, 2008**

(30) **Foreign Application Priority Data**

May 8, 2008 (CH) 135131

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/51; D8/52**

(58) **Field of Classification Search** D8/4, D8/5, 51-56, 58, 70, 71, 81, 104-107; 81/385, 81/405, 407-409, 411, 415-418, 326, 424.5, 81/427.5, 426, 427, 300, 318, 329, 342, 393; D24/133, 148, 153; D22/149, 150
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

728,883	A *	5/1903	Downes	606/28
2,592,641	A *	4/1952	Balderstone	81/416
3,161,085	A *	12/1964	Pratt	81/3.8
3,203,221	A *	8/1965	Conner	81/427
D229,724	S *	12/1973	Ericson	D24/143
3,911,583	A *	10/1975	Hoffman	433/4

5,033,195	A *	7/1991	Appelkvist et al.	30/254
5,059,198	A *	10/1991	Gimpelson	606/119
5,746,757	A *	5/1998	McGuire	606/148
5,997,566	A *	12/1999	Tobin	606/205
D424,694	S *	5/2000	Tetzlaff et al.	D24/143
D499,621	S *	12/2004	Tsuda	D8/52
6,862,959	B2 *	3/2005	Lin Wu	81/300
6,929,630	B2 *	8/2005	Scott et al.	604/500
D519,803	S *	5/2006	Tsuda	D8/52
7,329,265	B2 *	2/2008	Burbank et al.	606/157
D575,400	S *	8/2008	Patterson et al.	D24/143
7,494,500	B2 *	2/2009	Propp et al.	81/416
2003/0120306	A1 *	6/2003	Burbank et al.	606/205

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**


The ornamental design for a gripper joint, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a tool including a gripper joint; FIG. 2 is an enlarged perspective view of the area indicated with the unevenly-spaced boundary line in FIG. 1; and, FIG. 3 is an enlarged side view of the area indicated with the unevenly-spaced boundary line in FIG. 1.

The evenly-spaced broken lines in FIGS. 1, 2, and 3 depict unclaimed portions of the gripper joint and form no part of the claimed design. The unevenly-spaced broken line in FIG. 1 forms the boundary of the claimed design and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3