

US00D622132S

(12) **United States Design Patent**
DeMars et al.

(10) **Patent No.:** **US D622,132 S**
(45) **Date of Patent:** **** Aug. 24, 2010**

(54) **WIRE GUIDE HOLDER**

(75) Inventors: **Bruce J. DeMars**, Bloomington, IN (US); **Gregory A. Frankland**, Unionville, IN (US); **Alan A. Petrucci**, Western Springs, IL (US)

(73) Assignee: **Sabin Corporation**, Bloomington, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/337,640**

(22) Filed: **May 27, 2009**

(51) **LOC (9) Cl.** **08-06**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105, D8/107, 333, 349, 354, 356, 358, 360, 360.1, D8/367, 372, 373, 382, 383, 394-396, 400; D13/133, 139.1, 139.4, 153, 154, 155; 24/18, 24/20 W, 23 W, 115 R, 197, 561, 573.11, 24/581.12, 582.13, 583.1; 52/220.7; 174/66, 174/135, 153 G, 650, 656; 242/400.1, 405.1, 242/405.2, 600, 603; 248/65, 74.1-74.4, 248/75, 201, 214, 215, 229.26; 439/92-108, 439/421, 501, 535; 600/585

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,613,311	A *	9/1986	Wood	441/130
4,860,757	A	8/1989	Lynch et al.	128/657
5,125,906	A	6/1992	Fleck	604/171
5,366,444	A *	11/1994	Martin	604/159
5,484,419	A	1/1996	Fleck	604/171
5,507,300	A *	4/1996	Mukai et al.	600/585
5,609,311	A *	3/1997	Palm	242/405.1
5,730,150	A	3/1998	Peppel et al.	128/772

5,797,858	A *	8/1998	Rourke	600/585
5,827,202	A	10/1998	Miraki et al.	600/585
5,843,002	A	12/1998	Pecor et al.	600/585
6,273,373	B1 *	8/2001	Baumoel	248/73
6,477,402	B1 *	11/2002	Lynch et al.	600/434
6,592,083	B1 *	7/2003	Hobson et al.	248/74.3
7,191,900	B2 *	3/2007	Opie et al.	206/364
7,284,731	B1 *	10/2007	Johnson et al.	248/74.4
7,357,787	B2 *	4/2008	Moss	604/116
7,494,010	B2 *	2/2009	Opie et al.	206/363
2007/0043307	A1 *	2/2007	Raulerson et al.	600/585

FOREIGN PATENT DOCUMENTS

EP	0 587 984	B1	9/1997
FI	19820257	*	3/1987

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a wire guide holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wire guide holder of the present invention;

FIG. 2 is a side elevational view thereof, the opposite side being a mirror image thereof;

FIG. 3 is a top view thereof;


FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof; and,

FIG. 6 is a back view thereof.

The broken lines in the drawings represent unclaimed environmental subject matter.

1 Claim, 3 Drawing Sheets






FIG. 1



FIG. 3




FIG. 2



FIG. 4



FIG. 5




FIG. 6