



US00D622287S

(12) **United States Design Patent**
Pelini

(10) **Patent No.:** **US D622,287 S**

(45) **Date of Patent:** **** Aug. 24, 2010**

(54) **JACK PLATE BRACKET**

D561,708 S * 2/2008 Anzai D13/177

(76) Inventor: **Mark F. Pelini**, 406 Sonoma Dr.,
Valrico, FL (US) 33594

* cited by examiner

Primary Examiner—Joel A. Sincavage

Assistant Examiner—Maurice Stevens

(74) *Attorney, Agent, or Firm*—Edward P Dutkiewicz

(**) Term: **14 Years**

(21) Appl. No.: **29/312,659**

(57) **CLAIM**

(22) Filed: **Nov. 5, 2008**

The ornamental design for a jack plate bracket, as shown and described.

(51) **LOC (9) Cl.** **15-01**

(52) **U.S. Cl.** **D15/4**

(58) **Field of Classification Search** D15/4,
D15/5; D12/317; D8/353; 440/59, 61, 63,
440/65; 248/641, 642

DESCRIPTION

FIG. 1 is a front elevational view of the jack plate bracket showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a side left elevational view thereof, the right side view is a mirror image of the left side view;

See application file for complete search history.

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D372,452	S *	8/1996	Icenogle	D12/317
5,782,662	A *	7/1998	Icenogle	440/61 R
6,132,271	A *	10/2000	Hebert	440/59
D497,877	S *	11/2004	Sato	D13/133
6,814,148	B1 *	11/2004	Conner et al.	166/379
7,013,825	B1 *	3/2006	D'Alessandro	114/286

The broken lines in FIG. 3 represent an internal boundary of the design, with the line itself and the area within, forming no part of the claim.

1 Claim, 5 Drawing Sheets






FIG. 1






FIG. 2





FIG 3

FIG 4






FIG 5